Contract - Detailed

Pella Window and Door Showroom of Omaha
14478 Crest Rd.
Omaha, NE 68138
Phone: (402) 331-9225 **Fax:** (402) 331-3076

Sales Rep Name: Drobny, Brian
Sales Rep Phone: (402) 660-7148
Sales Rep Fax:
Sales Rep E-Mail: briandrobny@pellaomaha.com

Customer Information

McNeil Company Builders
4666 S 132nd Street

OMAHA, NE 68137
Primary Phone:
Mobile Phone:
Fax Number: (402) 3330182
E-Mail: accounting@mcneilcompany.com
Contact Name:

Great Plains #: MCNEILBLDR
Customer Number: 1002066689
Customer Account: 1000228280

Project/Delivery Address

1672 S 150th Ave/Ostronic Res/McNeil Company Build

Lot #
OMAHA, NE
County:
Owner Name:
McNeil Company Builders
Owner Phone: 4023331462

Order Information

Quote Name: Lifestyle 5-8-26

Order Number: 230
Quote Number: **20810082**
Order Type: Installed Sales
Wall Depth:
Payment Terms: Net 30 Days
Tax Code: USETAX
Cust Delivery Date: None
Quoted Date: 5/7/2026
Contracted Date:
Booked Date:
Customer PO #:

Accessories Managed / Delivery Date

Window Screens	1/1/0001	Door Rolscreens	1/1/0001	Hinge & Sliding Door Screens	1/1/0001	Grilles	1/1/0001
Window Hardware	1/1/0001	Door Handles	1/1/0001	Entry Door Panel	1/1/0001		

Line #	Location:	Attributes
10	LL Billiards	



Viewed From Exterior

PK #
2237

Lifestyle, 2-Wide Sash Set, 58 X 65, Without HGP, Black

Item Price	Qty	Ext'd Price
$1,436.25	1	$1,436.25

1: 2965 Fixed Sash Set
Frame Size: 29 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653
Grille: No Grille,
2: 2965 Fixed Sash Set
Frame Size: 29 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 246".

Rough Opening: 58 - 3/4" X 65 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	21
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	21

Line #	Location:	Attributes
15	LL Games	



PK #
2237

Viewed From Exterior

Lifestyle, 3-Wide Casement, 87 X 65, Without HGP, Black

Item Price	Qty	Ext'd Price
$2,290.54	1	$2,290.54

1: 2965 Left Casement
Frame Size: 29 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00677-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
2: 2965 Fixed Sash Set
Frame Size: 29 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653
Grille: No Grille,
3: 2965 Right Casement
Frame Size: 29 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00677-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 304".

Rough Opening: 87 - 3/4" X 65 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	26
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	26

Line #	Location:	Attributes
20	LL Games	



PK # 2237

Viewed From Exterior

Lifestyle, 3-Wide Casement, 87 X 65, Without HGP, Black

Item Price	Qty	Ext'd Price
$2,290.54	1	$2,290.54

1: 2965 Left Casement
Frame Size: 29 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00677-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
2: 2965 Fixed Sash Set
Frame Size: 29 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653
Grille: No Grille,
3: 2965 Right Casement
Frame Size: 29 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00677-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 304".

Rough Opening: 87 - 3/4" X 65 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	26
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	26

Line #	Location:	Attributes
25	LL Games	



Viewed From Exterior

PK #
2237

Lifestyle, Double Sliding Door, Contemporary,, Fixed / Vent Left, 95.25 X 83.5, With HGP, Black

Item Price	Qty	Ext'd Price
$6,731.01	1	$6,731.01

1: Non-Standard Size Fixed / Vent Left Double Sliding Door
Frame Size: 95 1/4 X 83 1/2
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Factory Assembled, Standard, Clad, Pine, 5 7/8", 4 9/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Tempered, Gray
Frame Selection: Wood Trim Cover, Factory Applied
Hardware Options: Vent Lock, Black, Keylock Included, Standard, Handle Included, Handle Included, Champagne, Black, Shipped Separate, Accessory Managed, Random, Chrome, No Integrated Sensor
Screen: Sliding Screen, Black, Black, InView™ , Shipped Separate, Accessory Managed
Unit Accessories: Snap-In Between-The-Glass Fabric Shade Bottom-Up, Shipped In Unit, White, Manual
Performance Information: U-Factor 0.26, SHGC 0.25, VLT 0.47, CPD PEL-N-304-00287-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL47325
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Factory Supplied, Shipped Separately, Manufacturer Recommended Clearance, Perimeter Length = 358".

Rough Opening: 96" X 84"

Customer Notes: 83.5 is non standard size. If you want to save $ a 81.5 tall would be standard.

21DRINST0200 - C - 2 Panel Door per LF - NCI - Whole House	Qty	30
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	30

Line #	Location:	Attributes
30	LL Family Rm	

Lifestyle, 3-Wide Sash Set, 141 X 65, Without HGP, Black

Item Price	Qty	Ext'd Price
$3,004.42	1	$3,004.42



Viewed From Exterior

PK #
2237

1: 4165 Fixed Sash Set
Frame Size: 41 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
2: 5965 Fixed Sash Set
Frame Size: 59 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.30, VLT 0.57, CPD PEL-N-229-00965-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
3: 4165 Fixed Sash Set
Frame Size: 41 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 412".

Rough Opening: 142" X 66"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	35
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	35

Line #	Location:	Attributes
35	LL Exercise	

Lifestyle, 3-Wide Sash Set, 105 X 65, Without HGP, Black

Item Price	Qty	Ext'd Price
$2,429.83	1	$2,429.83



Viewed From Exterior

PK #
2237

1: 3565 Fixed Sash Set
Frame Size: 35 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
2: 3565 Fixed Sash Set
Frame Size: 35 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
3: 3565 Fixed Sash Set
Frame Size: 35 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 340".

Rough Opening: 105 - 3/4" X 65 - 3/4

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	29
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	29

Line #	Location:	Attributes
40	LL Exercise	

Viewed From Exterior

PK #
2237

Lifestyle, Sash Set, Fixed, 29 X 65, Without HGP, Black

Item Price	Qty	Ext'd Price
$737.59	1	$737.59

1: 2965 Fixed Sash Set
Frame Size: 29 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653
Grille: No Grille,
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 188".

Rough Opening: 29 - 3/4" X 65 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House Qty 16

21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI Qty 16

Line #	Location:	Attributes
45	Master wardrobe	



Viewed From Exterior

PK #
2237

Lifestyle, Sash Set, Fixed, 35 X 25, Without HGP, Black

Item Price	Qty	Ext'd Price
$595.98	1	$595.98

1: 3525 Fixed Sash Set
Frame Size: 35 X 25
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.52, CPD PEL-N-229-00863-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20653
Grille: SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W2H)
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 120".

Rough Opening: 35 - 3/4" X 25 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House Qty 11

21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI Qty 11

Line #	Location:	Attributes
50	Master wardrobe	

Lifestyle, Sash Set, Fixed, 35 X 25, Without HGP, Black

Item Price	Qty	Ext'd Price
$595.98	1	$595.98



Viewed From Exterior

PK #
2237

1: 3525 Fixed Sash Set
Frame Size: 35 X 25
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.52, CPD PEL-N-229-00863-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20653
Grille: SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W2H)
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 120".

Rough Opening: 35 - 3/4" X 25 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	11
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	11

Line #	Location:	Attributes
55	office	

Lifestyle, 3-Wide Sash Set, 105 X 71, Without HGP, Black

Item Price	Qty	Ext'd Price
$3,259.52	1	$3,259.52



Viewed From Exterior

PK #
2237

1: 3571 Fixed Sash Set
Frame Size: 35 X 71
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-229-00951-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W3H)
2: 3571 Fixed Sash Set
Frame Size: 35 X 71
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-229-00951-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W3H)
3: 3571 Fixed Sash Set
Frame Size: 35 X 71
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-229-00951-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W3H)
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 352".

Rough Opening: 105 - 3/4" X 71 - 3/4

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	30
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	30

Line #	Location:	Attributes
60	Front entry	

Viewed From Exterior

PK # 2237

Pella Reserve, Traditional Double Inswing Door, Active / Passive Arch Head, 72 X 96, Black

Item Price	Qty	Ext'd Price
$11,740.21	1	$11,740.21

1: 7296 Active / Passive Double Inswing Door Arch Head
Frame Size: 72 X 96 X 84
General Information: Standard, Clad, Pine, 7 7/8", 6 9/16", Standard Sill, Black Finish Sill, Black Composite Threshold
Exterior Color / Finish: Painted, Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Sash / Panel: Putty Glaze, Ogee, Custom, 8.125, 4.6875, 4.6875, 6", Clad Panel
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Spiere, Satin Nickel, Order Handle Set, Shipped Separate, Multipoint Lock, No Integrated Sensor
Performance Information: CPD Not Rated, FPA None
Grille: ILT, No Custom Grille, 7/8", Traditional (2W3H / 2W3H), Putty Glaze, Ogee
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 318", Glazing Pressure = 205.

Rough Opening: 72 - 3/4" X 96 - 1/2"

21DRINST0200 - C - 2 Panel Door per LF - NCI - Whole House	Qty	29
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	29

Line #	Location:	Attributes
65	1 car garage	



Viewed From Exterior

PK # 2237

Lifestyle, Sash Set, Fixed, 17 X 41, Without HGP, Black

Item Price	Qty	Ext'd Price
$566.54	1	$566.54

1: 1741 Fixed Sash Set
Frame Size: 17 X 41
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.52, CPD PEL-N-229-00863-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20653
Grille: SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W2H)
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 116".

Rough Opening: 17 - 3/4" X 41 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	10
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	10

Line #	Location:	Attributes
70	1 car garage	



Viewed From Exterior

PK #
2237

Lifestyle, 2-Wide Casement, 64 X 71, Without HGP, Black

Item Price	Qty	Ext'd Price
$2,286.29	1	$2,286.29

1: 3271 Left Casement
Frame Size: 32 X 71
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-14-00687-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W3H)
2: 3271 Right Casement
Frame Size: 32 X 71
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-14-00687-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W3H)
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 270".

Rough Opening: 64 - 3/4" X 71 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	23
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	23

Line #	Location:	Attributes
75	2 car garage	



Viewed From Exterior

PK #
2237

Lifestyle, 2-Wide Casement, 58 X 59, Without HGP, Black

Item Price	Qty	Ext'd Price
$1,489.04	1	$1,489.04

1: 2959 Left Casement
Frame Size: 29 X 59
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00677-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
2: 2959 Right Casement
Frame Size: 29 X 59
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00677-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 234".

Rough Opening: 58 - 3/4" X 59 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	20
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	20

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
80	Garage to air	**TT - 3' 0" x 8' 0" S8200 2 Panel Square Top Smooth-Star Fiberglass Door - Right Hand Inswing**	$3,267.54	1	$3,267.54

Rough Opening: 38 - 1/4" X 98"

Final Wall Depth: 0' 6 9/16"

Customer Notes: 8' tall with multi point lock and hardware

21DRINST0100 - B - 1 Panel Door Per LF - NCI - Whole House	Qty	23
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	23

Line #	Location:	Attributes
85	Hidden pantry	



Viewed From Exterior

PK #
2237

Lifestyle, 2-Wide Casement, 58 X 53, Without HGP, Black

Item Price	Qty	Ext'd Price
$1,386.21	1	$1,386.21

1: 2953 Left Casement
Frame Size: 29 X 53
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00677-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
2: 2953 Right Casement
Frame Size: 29 X 53
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00677-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 222".

Rough Opening: 58 - 3/4" X 53 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	19
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	19

Line #	Location:	Attributes
90	Kitchen	



Viewed From Exterior

PK #
2237

Lifestyle, Direct Set, Lifestyle, Direct Set, Lifestyle, Direct Set, 74 X 53, Without HGP, Black

Item Price	Qty	Ext'd Price
$5,501.82	1	$5,501.82

1: 2149.59809 Fixed Frame Direct Set Partial Arch Head, Facing: Left
Frame Size: 21 X 49 5/8 X 27
General Information: No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-04208-00001, Performance Class AW, PG 80, Calculated Positive DP Rating 80, Calculated Negative DP Rating 80, FPA FL10354
Grille: No Grille,
2: 3253 Fixed Frame Direct Set Arch Head
Frame Size: 32 X 53 X 49 5/8
General Information: No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-04208-00001, Performance Class AW, PG 65, Calculated Positive DP Rating 65, Calculated Negative DP Rating 65, FPA FL10354
Grille: No Grille,
3: 2149.59809 Fixed Frame Direct Set Partial Arch Head, Facing: Right
Frame Size: 21 X 49 5/8 X 27
General Information: No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-04208-00001, Performance Class AW, PG 80, Calculated Positive DP Rating 80, Calculated Negative DP Rating 80, FPA FL10354
Grille: No Grille,
Vertical Mull 1: FactoryMull, Reinforcing Plate, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Reinforcing Plate, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 225".

Rough Opening: 74 - 3/4" X 53 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	22
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	22

Line #	Location:	Attributes
95	Dining	



Viewed From Exterior

PK #
2237

Lifestyle, Double Sliding Door, Contemporary,, Fixed / Vent Left, 71.25 X 95.5, With HGP, Black

Item Price	Qty	Ext'd Price
$5,142.80	1	$5,142.80

1: 7296 Fixed / Vent Left Double Sliding Door
Frame Size: 71 1/4 X 95 1/2
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Factory Assembled, Standard, Clad, Pine, 5 7/8", 4 9/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Tempered, Gray
Frame Selection: Wood Trim Cover, Factory Applied
Hardware Options: Vent Lock, Black, Keylock Included, Standard, Handle Included, Handle Included, Champagne, Black, Shipped Separate, Accessory Managed, Random, Chrome, No Integrated Sensor
Screen: Sliding Screen, Black, Black, InView™ , Shipped Separate, Accessory Managed
Unit Accessories: Snap-In Between-The-Glass Fabric Shade Bottom-Up, Shipped In Unit, White, Manual
Performance Information: U-Factor 0.26, SHGC 0.25, VLT 0.47, CPD PEL-N-304-00287-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL47325
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Factory Supplied, Shipped Separately, Manufacturer Recommended Clearance, Perimeter Length = 334".

Rough Opening: 72" X 96"

21DRINST0200 - C - 2 Panel Door per LF - NCI - Whole House	Qty	28
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	28

Line #	Location:	Attributes
100	Dining	

Lifestyle, 3-Wide Casement, 105 X 59, Without HGP, Black

Item Price	Qty	Ext'd Price
$2,399.64	1	$2,399.64



PK #
2237

Viewed From Exterior

1: 3559 Left Casement
Frame Size: 35 X 59
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.28, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00685-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
2: 3559 Fixed Sash Set
Frame Size: 35 X 59
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
3: 3559 Right Casement
Frame Size: 35 X 59
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.28, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00685-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 328".

Rough Opening: 105 - 3/4" X 59 - 3/4

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	28
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	28

Line #	Location:	Attributes
105	Dining	



Viewed From Exterior

PK #
2237

Lifestyle, 3-Wide Casement, 87 X 59, Without HGP, Black

Item Price	Qty	Ext'd Price
$2,142.74	1	$2,142.74

1: 2959 Left Casement
Frame Size: 29 X 59
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00677-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
2: 2959 Fixed Sash Set
Frame Size: 29 X 59
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL20653
Grille: No Grille,
3: 2959 Right Casement
Frame Size: 29 X 59
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00677-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 292".

Rough Opening: 87 - 3/4" X 59 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	25
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	25

Line #	Location:	Attributes
110	Great RM	



PK #
2237

Viewed From Exterior

Lifestyle, 3-Wide Sash Set, Lifestyle, 3-Wide Sash Set, 141 X 96.5, Without HGP, Black

Item Price	Qty	Ext'd Price
$5,167.72	1	$5,167.72

1: 4173 Fixed Sash Set
Frame Size: 41 X 73
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
2: 5973 Fixed Sash Set
Frame Size: 59 X 73
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-229-00973-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
3: 4173 Fixed Sash Set
Frame Size: 41 X 73
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
4: 4123 Fixed Sash Set
Frame Size: 41 X 23
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20653
Grille: No Grille,
5: 5923 Fixed Sash Set
Frame Size: 59 X 23
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL20653
Grille: No Grille,
6: 4123 Fixed Sash Set
Frame Size: 41 X 23
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black

Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20653
Grille: No Grille,
Horizontal Mull 1: FieldMull, 1/2" mullion for 4 9/16" with Steel Insert, Frame To Frame Width- 0.5", Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 3: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 4: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, Mullion Cover, Standard Flat, No Exterior Trim, 3-11/16", 5", 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 475".

Rough Opening: 142" X 97.5"

Customer Notes: 1/2" Structural horizontal mull
6 9/16 jamb after mull

21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	40
21STIN0100 - Labor to Structural Mull Window-Per Square Foot	Qty	95
21JAMBWD0200 - Wood Unit Apply Jamb 4-5/8 to 6-9/16 Wall per LF	Qty	40

Line #	Location:	Attributes
115	Master bed	

Viewed From Exterior

PK # 2237

Lifestyle, Triple Sliding Door, Contemporary,, Fixed / Vent Right / Fixed, 108.25 X 95.5, With HGP, Black

Item Price	Qty	Ext'd Price
$7,402.03	1	$7,402.03

1: 10896 Fixed / Vent Right / Fixed Triple Sliding Door
Frame Size: 108 1/4 X 95 1/2
General Information: No Package, With Hinged Glass Panel, Knock Down, Standard, Clad, Pine, 5 7/8", 4 9/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Tempered, Gray
Frame Selection: Wood Trim Cover, Field Applied
Hardware Options: Vent Lock, Black, Keylock Included, Standard, Handle Included, Handle Included, Champagne, Black, Shipped Separate, Accessory Managed, Random, Chrome, No Integrated Sensor
Screen: Sliding Screen, Black, Black, InView™ , Shipped Separate, Accessory Managed
Unit Accessories: Snap-In Between-The-Glass Fabric Shade Bottom-Up, Shipped In Unit, White, Manual
Performance Information: U-Factor 0.26, SHGC 0.25, VLT 0.47, CPD PEL-N-304-00287-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL47325
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Factory Supplied, Shipped Separately, Manufacturer Recommended Clearance, Perimeter Length = 408".

Rough Opening: 109" X 96"

Customer Notes: Vent right is only option on new 3 panel design

21DRINST0300 - D - 3 Panel Door per LF - NCI - Whole House Qty 35

21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI Qty 35

Line #	Location:	Attributes
120	Master Bed	



Viewed From Exterior

PK # 2237

Lifestyle, Sash Set, Fixed, 29 X 47, Without HGP, Black

Item Price	Qty	Ext'd Price
$581.83	1	$581.83

1: 2947 Fixed Sash Set
Frame Size: 29 X 47
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20653
Grille: No Grille,
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 152".

Rough Opening: 29 - 3/4" X 47 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House Qty 13

21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI Qty 13

Line #	Location:	Attributes
125	Master Bed	



Viewed From Exterior

PK #
2237

Lifestyle, Sash Set, Fixed, 29 X 47, Without HGP, Black

Item Price	Qty	Ext'd Price
$581.83	1	$581.83

1: 2947 Fixed Sash Set
Frame Size: 29 X 47
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20653
Grille: No Grille,
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 152".

Rough Opening: 29 - 3/4" X 47 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House Qty 13

21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI Qty 13

Line #	Location:	Attributes
130	Master bath	



Viewed From Exterior

PK #
2237

Lifestyle, 2-Wide Sash Set, 70 X 71, Without HGP, Black

Item Price	Qty	Ext'd Price
$2,065.08	1	$2,065.08

1: 3571 Fixed Sash Set
Frame Size: 35 X 71
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
2: 3571 Fixed Sash Set
Frame Size: 35 X 71
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 282".

Rough Opening: 70 - 3/4" X 71 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	24
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	24

Line #	Location:	Attributes
135	Master wardrobe	



Viewed From Exterior

PK #
2237

Lifestyle, Sash Set, Fixed, 29 X 47, Without HGP, Black

Item Price	Qty	Ext'd Price
$581.83	1	$581.83

1: 2947 Fixed Sash Set
Frame Size: 29 X 47
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20653
Grille: No Grille,
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 152".

Rough Opening: 29 - 3/4" X 47 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	13
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	13

Line #	Location:	Attributes
140	Bonus	



Viewed From Exterior

PK #
2237

Lifestyle, 2-Wide Casement, 64 X 53, Without HGP, Black

Item Price	Qty	Ext'd Price
$1,907.48	1	$1,907.48

1: 3253 Left Casement
Frame Size: 32 X 53
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-14-00679-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W3H)
2: 3253 Right Casement
Frame Size: 32 X 53
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-14-00679-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W3H)
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 234".

Rough Opening: 64 - 3/4" X 53 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	20
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	20

Line #	Location:	Attributes
145	Bedroom #4	



Viewed From Exterior

PK #
2237

Lifestyle, 2-Wide Casement, 50 X 47, Without HGP, Black

Item Price	Qty	Ext'd Price
$1,813.44	1	$1,813.44

1: 2547 Left Casement
Frame Size: 25 X 47
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Side Pivot Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-14-00679-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20675, STC 25, OITC 22, Egress With optional side pivot hardware, meets minimum clear opening and 5.7 sq.ft
Grille: SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W3H)
2: 2547 Right Casement
Frame Size: 25 X 47
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Side Pivot Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-14-00679-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20675, STC 25, OITC 22, Egress With optional side pivot hardware, meets minimum clear opening and 5.7 sq.ft
Grille: SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W3H)
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 194".

Rough Opening: 50 - 3/4" X 47 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	17
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	17

Line #	Location:	Attributes
150	Bedroom #3	



Viewed From Exterior

PK #
2237

Lifestyle, Casement Left, 32 X 41, Without HGP, Black

Item Price	Qty	Ext'd Price
$709.03	1	$709.03

1: 3241 Left Casement
Frame Size: 32 X 41
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Side Pivot Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00677-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20675, STC 25, OITC 22, Clear Opening Width 27.625, Clear Opening Height 36.875, Clear Opening Area 7.07411, Egress With optional side pivot hardware, meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 146".

Rough Opening: 32 - 3/4" X 41 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	13
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	13

Line #	Location:	Attributes
155	Bedroom #3	



Viewed From Exterior

PK #
2237

Lifestyle, 2-Wide Casement, 46 X 47, Without HGP, Black

Item Price	Qty	Ext'd Price
$1,151.10	1	$1,151.10

1: 2347 Left Casement
Frame Size: 23 X 47
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00677-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20675, STC 25, OITC 22, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: 2347 Right Casement
Frame Size: 23 X 47
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00677-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20675, STC 25, OITC 22, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 186".

Rough Opening: 46 - 3/4" X 47 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	16
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	16

Line #	Location:	Attributes
160	Bedroom #3	



Viewed From Exterior

PK # 2237

Lifestyle, Sash Set, Fixed, 32 X 41, Without HGP, Black

Item Price	Qty	Ext'd Price
$564.97	1	$564.97

1: 3241 Fixed Sash Set
Frame Size: 32 X 41
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20653
Grille: No Grille,
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 146".

Rough Opening: 32 - 3/4" X 41 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	13
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	13

Line #	Location:	Attributes
165	Bath #3	

Viewed From Exterior

PK # 2237

Lifestyle, Sash Set, Fixed, 25 X 41, Without HGP, Black

Item Price	Qty	Ext'd Price
$572.81	1	$572.81

1: 2541 Fixed Sash Set
Frame Size: 25 X 41
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 132".

Rough Opening: 25 - 3/4" X 41 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	12
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	12

Line #	Location:	Attributes
170	Bedroom #2	

Lifestyle, 3-Wide Casement, 129 X 65, Without HGP, Black

Item Price	Qty	Ext'd Price
$3,032.86	1	$3,032.86



PK #
2237

Viewed From Exterior

1: 3565 Left Casement
Frame Size: 35 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.28, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00685-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
2: 5965 Fixed Sash Set
Frame Size: 59 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.30, VLT 0.57, CPD PEL-N-229-00965-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
3: 3565 Right Casement
Frame Size: 35 X 65
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.28, SHGC 0.27, VLT 0.51, CPD PEL-N-14-00685-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20675, STC 25, OITC 22, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 388".

Rough Opening: 130" X 66"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	33
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	33

Line #	Location:	Attributes
175	Bath #2	



Viewed From Exterior

PK #
2237

Lifestyle, Sash Set, Fixed, 25 X 23, Without HGP, Black

Item Price	Qty	Ext'd Price
$402.75	1	$402.75

1: 2523 Fixed Sash Set
Frame Size: 25 X 23
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20653, STC 28, OITC 24
Grille: No Grille,
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 96".

Rough Opening: 25 - 3/4" X 23 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	9
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	9

Line #	Location:	Attributes
180	Laundry	



Viewed From Exterior

PK #
2237

Lifestyle, Sash Set, Fixed, 25 X 23, Without HGP, Black

Item Price	Qty	Ext'd Price
$351.67	1	$351.67

1: 2523 Fixed Sash Set
Frame Size: 25 X 23
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL20653
Grille: No Grille,
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 96".

Rough Opening: 25 - 3/4" X 23 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	9
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	9

Line #	Location:	Attributes
185	None Assigned	

0BLTC003 - Pella DS/AS/PL PD Keyed-Alike Cylinder, Stainless Steel (1)

Item Price	Qty	Ext'd Price
$15.32	4	$61.28

PK #
2237

Viewed From Exterior

1: Pella Parts Catalog
Pella Parts Selector: Door Hardware, Sliding Patio Door, Key Cylinders / Keylock Plugs, Pella Reserve, Stainless Steel, Unhanded, DS/AS/PL PD Keyed-Alike Cylinder, Stainless Steel (1), 0BLTC003, Less than 96-in,

Rough Opening: 10" X 10.5"

Line #	Location:	Attributes
190	None Assigned	

Head Drip Flashing, Length: 192, Black

Item Price	Qty	Ext'd Price
$81.94	13	$1,065.22



PK #
2237

Viewed From Exterior

1: Accessory
Frame Size: 1 X 1
General Information: Head Drip Flashing
Exterior Color / Finish: Painted, Standard Enduraclad, Black
Wrapping Information: Perimeter Length = 0".

Line #	Location:	Attributes
195	None Assigned	

21NCI0200 - Lift Charge Per Day

Item Price	Qty	Ext'd Price
$1,050.00	1	$1,050.00

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
200	None Assigned	**21NCI0300 - Install Package**	$5,010.00	1	$5,010.00

Thank You For Purchasing Pella® Products

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

INSYNCTIVE PRODUCTS: In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at Insynctive.pella.com. By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link https://www.pella.com/california-rights-policy/ at pella.com.

ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

YOU and Pella and its subsidiaries and the Pella Branded Distributor **AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS.** You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to pellawebsupport@pella.com , with the subject line: “Arbitration Opt Out” or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pellawebsupport@pella.com, with the subject line: “Arbitration Details” or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller’s reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

Product Performance Information:

U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC).

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to www.pella.com/performance.

Including during the construction period, casement windows should never be left open and unlocked for prolong periods or during high wind conditions to avoid sash detachment/damage.

Actual sizes tested for documented STC and OITC ratings may vary from the ASTM E 1425 sizes to better represent Pella product offering.

STC and OITC ratings shown may be conservatively based on products tested with thinner panes of glass.

STC and OITC ratings may be from test results from an equivalent product.

New Construction :

PAYMENT TERMS:

WARRANTY: Pella® products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details. Neither Pella Corporation nor Pella Products of Omaha and Lincoln will be bound by any other warranty. Please be aware that product which is not fully paid for is not covered by the warranty.

RETURN FEES: A 50% Fee will be charged for all items cancelled by the customer after the Last Revision Date. Your sales representative can provide you with information related to Last Revision Dates.
Initials:_____

DAMAGED PRODUCT: Product delivered to jobsite that is received damaged, must be reported to our Trade Project Coordinator Dept within 10 calendar days of date of delivery. Damaged product reported after 10 calendar days of delivery will be considered jobsite damage and will be billable by our company.

MISSING PRODUCT: Product delivered by our company and found to be missing from the jobsite must be reported to our Trade Project Coordinator Dept within 5 calendar days of the delivery date, or the product will be considered stolen or disposed of at the jobsite and replacement product will be billable by our company.

Remodeling or Replacement :

PAYMENT TERMS:

Orders placed by homeowners require a 50% down payment in advance of the order being placed. For remodeling or replacement jobs installed by our company, the customer can withhold a maximum of 5% of the contract price until the job is completed to the customer's satisfaction should any issues arise during completion of the work. Service parts ordered by our company which are not covered by the Pella warranty (see WARRANTY paragraph) must be paid for in full prior to scheduling or commencement of any service work by our company.

WARRANTY: Pella® products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details. Neither Pella Corporation nor Pella Products of Omaha and Lincoln will be bound by any other warranty. Please be aware that product which is not fully paid for is not covered by the warranty.

RETURN FEES: A 50% Fee will be charged for all items cancelled by the customer after the Last Revision Date. Your salesrep can provide you with information related to Last Revision Dates.
Initials:_____

PREFINISHING: For remodeling or replacement orders placed by homeowners, Pella Products of Omaha and Lincoln offers painting & staining applications prior to installation of our products. The stain color sample is only a general representation of the final product. Variations in different batches of stain along with natural differences in absorption rates, grain color, and characteristics of veneers and solid woods can and do affect the final wood color. Such variations will be considered normal and not cause for replacement. We will not accept returns based upon stains not matching samples, and will not issue monetary credit for any variation in final stain color from the sample.

Stain Color _____
Initials:_____

WINDOW TREATMENTS: Your new windows are custom made for your opening. Pella manufactures it's product to be of the highest quality in order that your new windows will be more energy efficient. Every Manufacturers frame is unique in profile and fit. It is possible that your existing interior mounted blinds or shades will no longer fit inside our frames. It is also possible that your existing shutters may not fit on your new energy efficient windows. Pella will not be responsible for these items and will not issue monetary credit or pay for any replacement blind or shades necessitated by the replacement of your windows.
Initials:_____

SECURITY SYSTEMS: During installation of Buyer's new windows and/or doors, security system wires and/or hardware may be damaged. Buyer is responsible for the coordination of their security system being disconnected prior to installation and reconnected after installation with a third party. Buyer acknowledges that Pella will not be responsible for these items and will not issue monetary credit or pay for any replacement of security hardware necessitated by the replacement of Buyer's windows.
Initials:_____

INSTALLATION IN EIFS/STUCCO: During installation of Buyer's new windows and/or doors in homes with EIFS or Stucco, Pella Windows and Doors will cut back the EIFS or Stucco to install

Buyer's new windows and/or doors. Buyer is responsible for the coordination of EIFS or Stucco work after installation of windows and/or doors through a 3rd party. Buyer is also responsible for coordinating the caulking of windows after completion of EIFS or Stucco work through a 3rd party. Buyer acknowledges that Pella will not be responsible for these items and will not issue monetary credit or pay for any EIFS work, Stucco work, or caulking associated with these types of installs necessitated by the replacement of Buyer's windows.
Initials:_____

RIGHT TO RENOVATE: If your home was built prior to 1978, a lead test must be performed by the contractor prior to Pella performing any installation services.

BUILDING PERMITS: It is the responsibility of the contractor to pull any and all permits necessary prior to Pella performing any installation services.

DAMAGED PRODUCT: Product delivered to jobsite that is received damaged, must be reported to our Trade Project Coordinator Dept within 10 calendar days of date of delivery. Damaged product reported after 10 calendar days of delivery will be considered jobsite damage and will be billable by our company.

MISSING PRODUCT: Product delivered by our company and found to be missing from the jobsite must be reported to our Trade Project Coordinator Dept within 5 calendar days of the delivery date, or the product will be considered stolen or disposed of at the jobsite and replacement product will be billable by our company.

Invoices will be submitted to the customer upon installation with the deposit applied first, with invoices for installations due in 30 days or when the project is substantially complete. Substantial completion is defined at the point when work is nearly complete, and the building can be occupied and used as intended. For remodeling or replacement jobs installed by our company, the customer can withhold to a maximum of 5% of the contract price until the job is completed to the customer's satisfaction should any issues arise during completion of the work. Service parts ordered by our company which are not covered by the Pella warranty (see WARRANTY paragraph) must be paid for in full prior to scheduling or commencement of any service work by our company.

Initials:

Each multi-panel and multi-slide system needs an approved design analysis and Pella Corporation stamped shop drawings signed off on prior to ordering. Since the products do not have an air and water performance rating, both overhangs and water managing patios or sloping are required. All multi-slide systems must have a minimum overhang of 50% of the height of the door for weather protection. All labor, product, and factory warranties will be voided without the minimum overhang requirements. Pella Windows & Doors of Omaha & Lincoln recommends a level rough opening for optimal performance. If the opening isn't level or doesn't include a slope away from the system, warranty exclusions will be applied.

Initials: _____

☐ **Project Checklist has been reviewed**

Customer Name (Please print)

Pella Sales Rep Name (Please print)

Customer Signature

Pella Sales Rep Signature

Date

Date

Credit Card Approval Signature

Order Totals	
Taxable Subtotal	$81,130.87
Sales Tax @ 0%	$0.00
Non-taxable Subtotal	$12,236.55
Total	$93,367.42
Deposit Received	$0.00
Amount Due	**$93,367.42**