

QUOTE

SALES REP	CUSTOMER	DATE	7/22/2026
Andrew Tabor (402) 426-3343 email: atabor@sesmith.net	McNEIL HOGAN		

THANK YOU FOR YOUR INTEREST IN S.E. SMITH AND SONS. IF PRICES, SPECIFICATIONS AND CONDITIONS LISTED ABOVE ARE SATISFACTORY AND ACCEPTED, PLEASE SIGN BELOW AND RETURN TO S.E. SMITH MILLWORK, IN ORDER TO PROCEED. PRICES ARE SUBJECT TO CHANGE.	Shipping & handling: SUBTOTAL \$18,114.61 Tax: 7.0% \$1,268.02 You pay this amount: \$19,382.63
--	---

SIGNATURE _____ **DATE** _____

Job Name: HOGAN

Quote Date: 07/22/2026

Manufacturer's Estimated Lead Time:

18-19 Weeks

Account Manager: Andrew Tabor

Dealer

SE Smith Millwork
284 N 16 St
Blair, NE 68008

Customer

McNeil Company Builders

Pricing Mode: No Pricing

Line	Label	Qty	UOM	Description	Unit	Extended
1		1		TS3080 Door Style, FL100 Sidelites, TRG100 Transom, ES108 Configuration		

This system requires an industry standard overhang for warranty coverage. The warranty coverage requirements are detailed in the TruStile Reserve Entry System Warranty available on trustile.com
This unit includes transoms that will require field mulling
IMPORTANT: TruStile Reserve™ Wood entry systems that are painted or stained in dark colors are NOT warrantied for bow, twist, warp or cracking and are not recommended for openings with direct sun exposure. This applies to factory finishes Espresso and Ebony. Please be aware that the hinge finish US10B (Oil Rubbed Bronze) varies widely across different hardware suppliers. Please verify the TruStile US10B hinge finish will be acceptable via the magnifying glass near your finish selection.

DOOR

Unit Style = TS3080
Dimensions = 41 5/8" x 96"
Thickness = 2-1/4"
Leaf Count = Single
Handing = RH
Beveling = Bevel Lock Side
Material = Mahogany
Door Construction = TruStile Reserve Entry
Sticking = QR-Quarter Round
Panel = A
Veneer Thickness = 1/16
Panel Construction = Rim Raised
Panel Thickness = 1-3/4"
Prefinish = Unfinished
Drip Trim = Wood
Drip Trim Material = Mahogany
Door Sweep Parts = Qty: 1 - Sweep - Weatherstrip Carrier, 49 (15172), Qty: 2 - Sweep Weatherstrip 49" (15180), Qty: 7 - Screw for Sweep, 3/4" SS (15178)

*****Door Machining Details*****

Machine Prep = TruStile Standard Configuration
Machine Prep = Hinges

Hinges = TruStile Installed
Hinges = Standard Ball Bearing Hinges
Hinges = Brand: TruStile
Hinges = Qty: 4 - Size: 4-1/2" x 4-1/2" - Corners: Square
Hinges = Locations: Hinge 1: 6-3/4", Hinge 2: 31-3/4", Hinge 3: 56-3/4", Hinge 4: 81-3/4"
Hinges = Thickness: 0.134" - Backset: 5/8"
Hinges = Material: Plated Steel
Hinges = Finish: US10B-Oil Rubbed Bronze
Hinges = Qty: 4 - Hinge (11328), Qty: 4 - Structural Screw (13118),

Qty:32 - Screws (14169)

LEFT SIDELITE

Unit Style = FL100
Dimensions = 16 5/8" x 96 9/32"
Thickness = 2-1/4"
Material = Mahogany
Door Construction = TruStile Reserve Entry
Sticking = QR-Quarter Round
Veneer Thickness = 1/16
Prefinish = Unfinished
Outboard Glass = Clear, With LoE272 Coating
Inboard Glass = Clear
Glass Spacer Color = Black
Drip Trim = Wood
Drip Trim Material = Mahogany
Interior Sash Stop Profile = Traditional

RIGHT SIDELITE

Unit Style = FL100
Dimensions = 16 5/8" x 96 9/32"
Thickness = 2-1/4"
Material = Mahogany
Door Construction = TruStile Reserve Entry
Sticking = QR-Quarter Round
Veneer Thickness = 1/16
Prefinish = Unfinished
Outboard Glass = Clear, With LoE272 Coating
Inboard Glass = Clear
Glass Spacer Color = Black
Drip Trim = Wood
Drip Trim Material = Mahogany
Interior Sash Stop Profile = Traditional

TRANSOM

Unit Style = TRG100
Dimensions = 78 1/4" x 23 1/4"
Thickness = 2-1/4"
Material = Mahogany
Door Construction = TruStile Reserve Entry
Sticking = QR-Quarter Round
Veneer Thickness = 1/16
Prefinish = Unfinished
Outboard Glass = Clear, With LoE272 Coating
Inboard Glass = Clear
Glass Spacer Color = Black
Interior Sash Stop Profile = Traditional

UNIT FRAME

Transoms ship separate and assembled ready for field mulling
System Layout = ES108
Frame Assembly = Assembled
Head/Sill Construction = Continuous
Frame Type = Single Rabbet
Wall Depth = 6 9/16"
Material = Mahogany
Prefinish = Unfinished
Edge Profile = Square
Weatherstrip Color = Black
Weatherstrip Parts = Cut to length (14984)
Mull Post = Single Rabbet (Back to Back)
Mull Post Depth = Wall Depth (6 9/16)
Sill Type = Oak Adjustable
Sill Finish = Bronze Anodized Aluminum
Sill Depth = 7 5/8"
Sill Parts = Qty: 1 - 7-5/8" x 1-3/8", Inswing, full composite base, hardwood rail/nosing, bronze alum, 110.5" (15060)
Mull Cover Material = Mahogany
Mull Cover Prefinish = Unfinished
Mull Cover Thickness = Inside: 1/4", Outside: 5/8"
Mull Cover Width (Vertical) = Inside: 1", Outside: 2"
Mull Cover Width (Horizontal) = Inside: 1", Outside: 1 23/32"
Mull Cover Reveal = Inside: 1/4", Outside: 1/4"
Mull Cover Edges = Inside: Square, Outside: Square

*****Frame Machining Details*****


Jamb Leg Prep = Hinge Prep: Standard Hinge

TRANSOM UNIT FRAME


Transoms ship separate and assembled ready for field mulling
System Layout = ES108
Frame Assembly = Assembled
Head/Sill Construction = Continuous
Frame Type = Single Rabbet

Wall Depth = 6 9/16"
Material = Mahogany
Prefinish = Unfinished
Edge Profile = Square


Line	Label	Qty	UOM	Description	Unit	Extended
2		1	EA	Manufacturer's Freight for		
Total Units:		0				



Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
ES108			Mahogany	N/A	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		





Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
TS3080	QR	A	Mahogany	N/A	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		




Outside


Single




Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
TS3080	QR	A	Mahogany	N/A	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		




Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
FL100	QR	NA	Mahogany	3/4" Insulated Unit	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		




Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
FL100	QR	NA	Mahogany	3/4" Insulated Unit	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		




Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
TRG100	QR	NA	Mahogany	3/4" Insulated Unit	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		




Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
Jamb Only			Mahogany	N/A	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		




Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
TS3080	QR	A	Mahogany	N/A	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		




Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
FL100	QR	NA	Mahogany	3/4" Insulated Unit	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		




Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
TS3080	QR	A	Mahogany	N/A	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		




Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
Jamb Only			Mahogany	N/A	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		



Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
TRG100	QR	NA	Mahogany	3/4" Insulated Unit	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		



Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
FL100	QR	NA	Mahogany	3/4" Insulated Unit	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		



Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
FL100	QR	NA	Mahogany	3/4" Insulated Unit	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		



Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
TRG100	QR	NA	Mahogany	3/4" Insulated Unit	Non-Rated	Exterior
Quote #: SQANC000604-1				Line #: 1		
SE Smith Millwork				Entered By: Andrew Tabor		
Approval (sign here):				Created On: 07/22/2026		