



Overhead Door Company of Omaha

1222 Royal Dr.
Papillion, NE 68046
www.overheaddooromaha.com

Contact: Chad Bolter
Phone: +1402-331-0526
Email: chad@overheaddooromaha.com

This proposal is valid till Tuesday, November 24, 2026

Quote: SQCP007218-1 | Created: 7/27/2026 7:55 AM

Job:

McNEIL - CROCKET RESIDENCE
OPTION 2

Prepared For:

GENERAL CONTRACTOR

Line	Item	Qty
1	Door, 5740 (194), 18'0" x 8'0", Brown, Standard Panel, 12"R, Torsion	1
	DOOR: 5740 (194), 18'0" x 8'0", Standard Panel, Brown, 5 Sect, 8 Pnl, SES, Std Btm Seal	
	STRUTS: Custom, S1: 2" STRUT x 1, S2: 2" STRUT x 1, S3: 2" STRUT x 1, S4: 2" STRUT x 1, S5: 2" STRUT x 1	
	TRK/HDW: 2", Nylon Rollers, 12"R, Fully Adjustable Track, Operator, 0.042 V.Trk, 0.055 H.Trk, 105 FTSC	
	SPRING: Torsion, Qty: 2, Front, 10K, Tubular, 2" x 0.244 x 31.75, 8.89 Turns, D400-96, 3/32" x 112", Bal Wt: 304.28	
	Last Changed: 7/27/2026 8:09 AM CST	
	Comment: OPERATOR OPTION - 2- 7030H, 2- 8 FOOT CHAINS, 2 REMOTE, 1 KEYLESS ENTRY, PLEASE ADD	
	\$1,181.00	
2	Door, 5740 (194), 10'0" x 8'0", Brown, Standard Panel, 12"R, Torsion	1
	DOOR: 5740 (194), 10'0" x 8'0", Standard Panel, Brown, 5 Sect, 4 Pnl, SES, Std Btm Seal	
	STRUTS: Custom, S1: 2" STRUT x 1, S2: NONE, S3: NONE, S4: NONE, S5: 2" STRUT x 1	
	TRK/HDW: 2", Nylon Rollers, 12"R, Fully Adjustable Track, Operator, 0.042 V.Trk, 0.055 H.Trk, 105 FTSC	
	SPRING: Torsion, Qty: 1, Front, 10K, Tubular, 2" x 0.244 x 32.5, 8.89 Turns, D400-96, 3/32" x 112", Bal Wt: 148.11	
	Last Changed: 7/29/2026 8:00 AM CST	

Total (USD): \$4,800.00

Terms and Conditions

Shipment Details

Shipping Carrier: Company Truck

Acceptance:

The Genuine. The Original.



Overhead Door Company of Omaha

1222 Royal Dr.

Papillion, NE 68046

www.overheaddooromaha.com

Contact: Chad Bolter

Phone: +1402-331-0526

Email: chad@overheaddooromaha.com

Terms, price, and specifications on all pages of this proposal are hereby accepted.

Authorized By (Buyer): _____


Date: _____

Print Name (Buyer): _____

Purchase Order: _____




Exterior View



Model: 5740 - Thermacore 1-3/8"	Window Style: N/A
Design: Standard Panel Color: Brown	Options:
Door Width & Height (Ft): 18'0" x 8'0"	



Exterior View



Model: 5740 - Thermacore 1-3/8"

Design: Standard Panel Color: Brown


Door Width & Height (Ft): 10'0" x 8'0"

Window Style: N/A


Options:

SPECIFICATIONS


U-FACTOR: 0.15		RELATED WORK: ALL PAD SURFACES MUST BE FLUSH WITH JAMBS. DOOR JAMBS, SPRING PADS, OPERATOR PAD, TRACK BACK HANGERS, AND CENTER HANGERS BY OTHERS.	
EXTERIOR COLOR: BROWN			
WINDLOAD RATING: NONE			
BALANCE WEIGHT: 148.11 POUNDS			
DRUM: D400-96	SECTIONS: 5	PANELS: 4	STRUTS: STANDARD FINISH TOP SECTION: 2" STRUT X1 SECTION 4: NONE SECTION 3: NONE SECTION 2: NONE BOT SECTION: 2" STRUT X1
SPRINGS: QTY 1, 10,000 CYCLES, 8.89 TURNS			
SPRING: 0.244 WIRE, 2" ID, 32.5" LONG			
TRACK: STANDARD FINISH, 12" RADIUS, 2" TRACK, MOUNT STANDARD RESIDENTIAL, FULLY ADJUSTABLE TRACK, NO OVERLAP			
HARDWARE: STANDARD FINISH			
SECTIONS: STANDARD PANEL, FOAMED-IN-PLACE, CFC-FREE POLYURETHANE INSULATION BETWEEN TWO LAYERS OF CORROSION-RESISTANT HOT-DIPPED, ROLL-FORMED, GALVANIZED STEEL.			



JAMB DETAIL



INTERIOR ELEVATION



TRACK DETAIL

MODEL 5740 SECTIONAL The Genuine. The Original. 	DOOR MARK:	DOOR WIDTH: 10'-0"	DOOR HEIGHT: 8'-0"	QUANTITY: 1
	JOB NAME: MCNEIL - CROCKET RESIDENCE OPTION 2	NOTES:		SHEET 1 OF 1
	ARCHITECT: -			DATE: 07/29/2026 08:00 AM CST
	CONTRACTOR: -			QUOTE/ORDER#: SQCP007218-1
	DISTRIBUTOR: OVERHEAD DOOR COMPANY OF OMAHA			LINE #: 2