Contract - Detailed

Pella Window and Door Showroom of Omaha
14478 Crest Rd.
Omaha, NE 68138
Phone: (402) 331-9225 **Fax:** (402) 331-3076

Sales Rep Name: Drobny, Brian
Sales Rep Phone: (402) 660-7148
Sales Rep Fax:
Sales Rep E-Mail: briandrobny@pellaomaha.com

Customer Information

McNeil Company Builders
4666 S 132nd Street

OMAHA, NE 68137
Primary Phone:
Mobile Phone:
Fax Number: (402) 3330182
E-Mail: accounting@mcneilcompany.com
Contact Name:

Great Plains #: MCNEILBLDR
Customer Number: 1002066689
Customer Account: 1000228280

Project/Delivery Address

1702 S 150th Ave/Crockett/McNeil Company Builders
1702 S 150th Ave

Lot # Lot 22 Heartwood
WEST OMAHA, NE 68144
County: DOUGLAS
Owner Name:

Owner Phone:

Order Information

Quote Name: Iron Ore Reserve Contemporary 7/31/26

Order Number: 230
Quote Number: **21125597**
Order Type: Installed Sales
Wall Depth:
Payment Terms: Net 30 Days
Tax Code: USETAX
Cust Delivery Date: None
Quoted Date: 7/29/2026
Contracted Date:
Booked Date:
Customer PO #:

Accessories Managed / Delivery Date

Door Handles	10/30/2026	Hinge & Sliding Door Screens	10/30/2026	Window Screens	10/30/2026	Window Hardware	10/30/2026

Customer Notes: RESERVE CONTEMPORARY SERIES
Iron Ore Exterior
Unfinished Interior
Champagne Hardware
Champagne Screen Frames
Satin Nickel Door Hardware
Advanced Low-E Glass
7/8" ILT Grilles

Full Pella Install, Zip wall

Line #	Location:	Attributes
10	LL Fitness Room	



Viewed From Exterior

PK #
2243

Pella Reserve, Contemporary 2-Wide Sash Set, 64 X 53, Iron Ore

Item Price	Qty	Ext'd Price
$2,055.30	1	$2,055.30

1: 3253 Fixed Sash Set
Frame Size: 32 X 53
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W3H), Square, Square
2: 3253 Fixed Sash Set
Frame Size: 32 X 53
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W3H), Square, Square
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Foldout Fins, Factory Applied, No Head Drip Cap, No Exterior Trim, 3-11/16", 5", Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 234".

Rough Opening: 64 - 3/4" X 53 - 3/4"

Customer Notes: COMPOSITE COMES WITH NO JAMB EXTENSION

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	20
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	20

Line #	Location:	Attributes

15 LL Family Bar



Viewed From Exterior

PK # 2243

Pella Reserve, Contemporary Sash Set, Fixed, 32 X 53, Iron Ore

Item Price	Qty	Ext'd Price
$1,109.30	1	$1,109.30

1: 3253 Fixed Sash Set
Frame Size: 32 X 53
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W3H), Square, Square
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 170".

Rough Opening: 32 - 3/4" X 53 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	15
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	15

Line #	Location:	Attributes

20 LL Family Door



Viewed From Exterior

PK # 2243

Pella Reserve, Double Sliding Door, Fixed / Vent Left, 83.25 X 95.5, Iron Ore

Item Price	Qty	Ext'd Price
$5,353.49	1	$5,353.49

1: 8496 Fixed / Vent Left Double Sliding Door
Frame Size: 83 1/4 X 95 1/2
General Information: Factory Assembled, Standard, Clad, Pine, 5 7/8", 4 9/16"
Exterior Color / Finish: Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Frame Selection: Wood Trim Cover, Factory Applied, Jamb Covers Included
Hardware Options: Vent Lock, Black, Keylock Included, Plazo, Handle Included, Handle Included, Satin Nickel, Satin Nickel, Shipped Separate, Accessory Managed, Random, Chrome, No Integrated Sensor
Screen: Sliding Screen, Iron Ore, Black, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.30, SHGC 0.28, VLT 0.51, CPD PEL-N-304-00155-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL47325, STC 28, OITC 24
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6-9/16", Factory Supplied, Shipped Separately, Manufacturer Recommended Clearance, Perimeter Length = 358".

Rough Opening: 84" X 96"

21DRINST0200 - C - 2 Panel Door per LF - NCI - Whole House	Qty	30
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	30

Line #	Location:	Attributes
25	LL Family Room	



Viewed From Exterior

PK # 2243

Pella Reserve, Contemporary Sash Set, Fixed, 32 X 53, Iron Ore

Item Price	Qty	Ext'd Price
$1,239.05	3	$3,717.15

1: 3253 Fixed Sash Set
Frame Size: 32 X 53
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W3H), Square, Square
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 170".

Rough Opening: 32 - 3/4" X 53 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	15
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	15

Line #	Location:	Attributes
30	LL Game Area	



Viewed From Exterior

PK # 2243

Pella Reserve, Contemporary 2-Wide Sash Set, 64 X 53, Iron Ore

Item Price	Qty	Ext'd Price
$2,446.72	1	$2,446.72

1: 3253 Fixed Sash Set
Frame Size: 32 X 53
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W3H), Square, Square
2: 3253 Fixed Sash Set
Frame Size: 32 X 53
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W3H), Square, Square
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 234".

Rough Opening: 64 - 3/4" X 53 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House Qty 20

21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI Qty 20

Line #	Location:	Attributes
35	LL Game Area	

Pella Reserve, Contemporary 3-Wide Sash Set, 96 X 21, Iron Ore

Item Price	Qty	Ext'd Price
$2,384.42	1	$2,384.42

Viewed From Exterior

PK #
2243

1: 3221 Fixed Sash Set
Frame Size: 32 X 21
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W2H), Square, Square
2: 3221 Fixed Sash Set
Frame Size: 32 X 21
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W2H), Square, Square
3: 3221 Fixed Sash Set
Frame Size: 32 X 21
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W2H), Square, Square
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Foldout Fins, Factory Applied, No Head Drip Cap, No Exterior Trim, 3-11/16", 5", Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 234".

Rough Opening: 96 - 3/4" X 21 - 3/4"

Customer Notes: COMPOSITE COMES WITH NO JAMB EXTENSION (VERIFY)

21DRINST0050 - A - Window Install Per LF - NCI - Whole House Qty 20

21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI Qty 20

Line #	Location:	Attributes
40	Garage Front	



Viewed From Exterior

PK #
2243

Pella Reserve, Contemporary Sash Set, Fixed, 32 X 71, Iron Ore

Item Price	Qty	Ext'd Price
$1,388.39	1	$1,388.39

1: 3271 Fixed Sash Set
Frame Size: 32 X 71
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 206".

Rough Opening: 32 - 3/4" X 71 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	18
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	18

Line #	Location:	Attributes
45	Garage Front	



Viewed From Exterior

PK # 2243

Pella Reserve, Contemporary 2-Wide Sash Set, Pella Reserve, 2-Wide Sash Set, 64 X 92, Iron Ore

Item Price	Qty	Ext'd Price
$4,383.14	1	$4,383.14

1: 3271 Fixed Sash Set
Frame Size: 32 X 71
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
2: 3271 Fixed Sash Set
Frame Size: 32 X 71
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
3: 3221 Fixed Sash Set
Frame Size: 32 X 21
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W1H), Square, Square
4: 3221 Fixed Sash Set
Frame Size: 32 X 21
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W1H), Square, Square
Horizontal Mull 1: FactoryMull, Reinforcing Plate, Frame To Frame Width- 0", Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 312".

Rough Opening: 64 - 3/4" X 92 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	27
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	27

Line #	Location:	Attributes
50	Front Entry Door	



Viewed From Exterior

PK #
2243

Pella Reserve, Traditional Double Inswing Door, Active / Passive Arch Head, 75 X 107.5, Iron Ore

Item Price	Qty	Ext'd Price
$11,898.27	1	$11,898.27

1: 75107.5 Active / Passive Double Inswing Door Arch Head
Frame Size: 75 X 107 1/2 X 88 1/2
General Information: Standard, Clad, Pine, 7 7/8", 6 9/16", Standard Sill, Black Finish Sill, Black Composite Threshold
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Ogee, Ogee, Custom, 8.125, 4.6875, 4.6875, 6", Clad Panel
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Spiere, Satin Nickel, Order Handle Set, Shipped Separate, Multipoint Lock, No Integrated Sensor
Performance Information: CPD Not Rated, FPA None
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 340", Glazing Pressure = 195.

Rough Opening: 75 - 3/4" X 108"

21DRINST0200 - C - 2 Panel Door per LF - NCI - Whole House	Qty	31
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	31

Line #	Location:	Attributes
55	Head Drip Fin	



Viewed From Exterior

PK #
2243

Head Drip Fin, Arch Head, 75 X 107.5

Item Price	Qty	Ext'd Price
$398.21	1	$398.21

1: 75107.5 Active / Passive Double Inswing Door Arch Head
Frame Size: 75 X 107 1/2 X 88 1/2
General Information: Clad, Pine, 7 7/8", 6 9/16", Black Composite Threshold
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Wrapping Information: Exterior Trim Options, Head Drip Fin, 7 7/8", Perimeter Length = 340", Glazing Pressure = 195.

Rough Opening: 75 - 3/4" X 108"

Line #	Location:	Attributes
60	Contemplation Study	



Viewed From Exterior

PK # 2243

Pella Reserve, Contemporary 2-Wide Sash Set, Pella Reserve, 2-Wide Sash Set, 64 X 92, Iron Ore

Item Price	Qty	Ext'd Price
$4,383.14	1	$4,383.14

1: 3271 Fixed Sash Set
Frame Size: 32 X 71
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
2: 3271 Fixed Sash Set
Frame Size: 32 X 71
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
3: 3221 Fixed Sash Set
Frame Size: 32 X 21
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W1H), Square, Square
4: 3221 Fixed Sash Set
Frame Size: 32 X 21
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W1H), Square, Square
Horizontal Mull 1: FactoryMull, Reinforcing Plate, Frame To Frame Width- 0", Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 312".

Rough Opening: 64 - 3/4" X 92 - 3/4"

21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	27
21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	27

Line #	Location:	Attributes
65	Master WRDB	



Viewed From Exterior

PK # 2243

Pella Reserve, Contemporary Sash Set, Fixed, 32 X 65, Iron Ore

Item Price	Qty	Ext'd Price
$1,319.84	3	$3,959.52

1: 3265 Fixed Sash Set
Frame Size: 32 X 65
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 194".

Rough Opening: 32 - 3/4" X 65 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	17
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	17

Line #	Location:	Attributes
70	Master Bath T.C.	

Viewed From Exterior

PK # 2243

Pella Reserve, Contemporary Sash Set, Fixed, 25 X 41, Iron Ore

Item Price	Qty	Ext'd Price
$926.48	1	$926.48

1: 2541 Fixed Sash Set
Frame Size: 25 X 41
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W2H), Square, Square
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 132".

Rough Opening: 25 - 3/4" X 41 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	12
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	12

Line #	Location:	Attributes
75	Master Bath Tub	



Viewed From Exterior

PK #
2243

Pella Reserve, Contemporary 2-Wide Sash Set, 64 X 73, Iron Ore

Item Price	Qty	Ext'd Price
$3,069.75	1	$3,069.75

1: 3273 Fixed Sash Set
Frame Size: 32 X 73
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
2: 3273 Fixed Sash Set
Frame Size: 32 X 73
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 274".

Rough Opening: 64 - 3/4" X 73 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	24
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	24

Line #	Location:	Attributes
80	Master Bed	



Viewed From Exterior

PK # 2243

Pella Reserve, Contemporary Casement Left, 32 X 65, Iron Ore

Item Price	Qty	Ext'd Price
$1,445.65	1	$1,445.65

1: 3265 Left Casement
Frame Size: 32 X 65
General Information: Crank Out, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Saldo Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-11-24315-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31311, STC 26, OITC 23, Clear Opening Width 22.25, Clear Opening Height 60.875, Clear Opening Area 9.406033, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 194".

Rough Opening: 32 - 3/4" X 65 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	17
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	17

Line #	Location:	Attributes
85	Master Bed	



Viewed From Exterior

PK # 2243

Pella Reserve, Contemporary Casement Right, 32 X 65, Iron Ore

Item Price	Qty	Ext'd Price
$1,445.65	1	$1,445.65

1: 3265 Right Casement
Frame Size: 32 X 65
General Information: Crank Out, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Saldo Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-11-24315-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31311, STC 26, OITC 23, Clear Opening Width 22.25, Clear Opening Height 60.875, Clear Opening Area 9.406033, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 194".

Rough Opening: 32 - 3/4" X 65 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	17
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	17

Line #	Location:	Attributes
90	Master Bed	



Viewed From Exterior

PK # 2243

Pella Reserve, Contemporary Sash Set, Fixed, 25 X 71, Iron Ore

Item Price	Qty	Ext'd Price
$1,270.30	3	$3,810.90

1: 2571 Fixed Sash Set
Frame Size: 25 X 71
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 192".

Rough Opening: 25 - 3/4" X 71 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	17
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	17

Line #	Location:	Attributes
95	Great Room	



Viewed From Exterior

PK # 2243

Pella Reserve, Contemporary Sash Set, Pella Reserve, Sash Set, 32 X 102, Iron Ore

Item Price	Qty	Ext'd Price
$2,261.08	3	$6,783.24

1: 3273 Fixed Sash Set
Frame Size: 32 X 73
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
2: 3229 Fixed Sash Set
Frame Size: 32 X 29
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W2H), Square, Square
Horizontal Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 268".

Rough Opening: 32 - 3/4" X 102 - 3/4

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	23
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	23

Line #	Location:	Attributes
100	Dining Room	



Viewed From Exterior

PK #
2243

Pella Reserve, Contemporary 2-Wide Sash Set, 64 X 65, Iron Ore

Item Price	Qty	Ext'd Price
$2,664.15	1	$2,664.15

1: 3265 Fixed Sash Set
Frame Size: 32 X 65
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
2: 3265 Fixed Sash Set
Frame Size: 32 X 65
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312, STC 28, OITC 24
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 258".

Rough Opening: 64 - 3/4" X 65 - 3/4"

21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	67
21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	22

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
105	Dining Room	**Architect Reserve, Traditional, Direct Set, Architect Reserve, Traditional, Direct Set, Architect Reserve, Traditional, Direct Set, Architect Reserve, Traditional, Direct Set,**	$11,207.43	1	$11,207.43



Viewed From Exterior

PK #
2243

1: 3281 Fixed Frame Direct Set
Frame Size: 32 X 81
General Information: Interior Glazed, Factory Assembled, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.29, SHGC 0.29, VLT 0.55, CPD PEL-N-18-04210-00001, Performance Class AW, PG 60, Calculated Positive DP Rating 60, Calculated Negative DP Rating 60, FPA FL10354, STC 27, OITC 22
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Ogee, Ogee
2: 3281 Fixed Frame Direct Set
Frame Size: 32 X 81
General Information: Interior Glazed, Factory Assembled, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.29, SHGC 0.29, VLT 0.55, CPD PEL-N-18-04210-00001, Performance Class AW, PG 60, Calculated Positive DP Rating 60, Calculated Negative DP Rating 60, FPA FL10354, STC 27, OITC 22
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Ogee, Ogee
3: 3281 Fixed Frame Direct Set
Frame Size: 32 X 81
General Information: Interior Glazed, Factory Assembled, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.29, SHGC 0.29, VLT 0.55, CPD PEL-N-18-04210-00001, Performance Class AW, PG 60, Calculated Positive DP Rating 60, Calculated Negative DP Rating 60, FPA FL10354, STC 27, OITC 22
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Ogee, Ogee
4: 3237.88533 Fixed Frame Direct Set Partial Arch Head, Facing: Left
Frame Size: 32 X 37 7/8 X 17
General Information: Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.29, SHGC 0.29, VLT 0.55, CPD PEL-N-18-04210-00001, Performance Class AW, PG 90, Calculated Positive DP Rating 90, Calculated Negative DP Rating 90, FPA FL10354
Grille: ILT, No Custom Grille, 7/8", Traditional (2W1H), Ogee, Ogee
5: 3240 Fixed Frame Direct Set Arch Head
Frame Size: 32 X 40 X 37 7/8
General Information: Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.29, SHGC 0.29, VLT 0.55, CPD PEL-N-18-04210-00001, Performance Class AW, PG 90, Calculated Positive DP Rating 90, Calculated Negative DP Rating 90, FPA FL10354
Grille: ILT, No Custom Grille, 7/8", Traditional (2W1H), Ogee, Ogee
6: 3237.88533 Fixed Frame Direct Set Partial Arch Head, Facing: Right
Frame Size: 32 X 37 7/8 X 17
General Information: Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.29, SHGC 0.29, VLT 0.55, CPD PEL-N-18-04210-00001, Performance Class AW, PG 90, Calculated Positive DP

Rating 90, Calculated Negative DP Rating 90, FPA FL10354
Grille: ILT, No Custom Grille, 7/8", Traditional (2W1H), Ogee, Ogee
Horizontal Mull 1: AlignedWith, 0.5"
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 2: FactoryMull, Reinforcing Plate, Frame To Frame Width- 0", Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 3: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 4: FactoryMull, Reinforcing Plate, Frame To Frame Width- 0", Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Wrapping Information: Foldout Fins, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 596".

Rough Opening: 96 - 3/4" X 40 - 3/4"

Customer Notes: COMPOSITE COMES IN (2) PIECES, FIELD MULL HORZ. WITH 1/2" ALUMINUM STRUCTURE 4 9/16" DEEP WITH (1) STEEL INSERT, FACTORY APPLIED 4 SIDED JAMB EXTENSION, OVERALL RO 122 1/2" X 96 3/4"

21STIN0500 - Adder - Wood Units 1/2 in Structural Mull per Mull	Qty	1
21STIN0100 - Labor to Structural Mull Window-Per Square Foot	Qty	82
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	53

Line #	Location:	Attributes
110	Head Drip Fin	

Head Drip Fin, Partial Arch Head, 96 X 40

Item Price	Qty	Ext'd Price
$297.05	1	$297.05



PK # 2243

Viewed From Exterior

1: 3237.88533 Fixed Frame Direct Set Partial Arch Head, Facing: Left
Frame Size: 32 X 37 7/8 X 17
General Information: Interior Glazed, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
2: 3240 Fixed Frame Direct Set Arch Head
Frame Size: 32 X 40 X 37 7/8
General Information: Interior Glazed, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
3: 3237.88533 Fixed Frame Direct Set Partial Arch Head, Facing: Right
Frame Size: 32 X 37 7/8 X 17
General Information: Interior Glazed, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Vertical Mull 1: FactoryMull, Reinforcing Plate, Frame To Frame Width- 0", Mull Design Pressure- 20
Vertical Mull 2: FactoryMull, Reinforcing Plate, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Exterior Trim Options, Head Drip Fin, Perimeter Length = 241", Glazing Pressure = 90.

Rough Opening: 96 - 3/4" X 40 - 3/4"

Line #	Location:	Attributes
115	Dining Door	

Pella Reserve, Double Sliding Door, Fixed / Vent Left, 95.25 X 95.5, Iron Ore

Item Price	Qty	Ext'd Price
$5,606.75	1	$5,606.75



PK # 2243

Viewed From Exterior

1: 9696 Fixed / Vent Left Double Sliding Door
Frame Size: 95 1/4 X 95 1/2
General Information: Factory Assembled, Standard, Clad, Pine, 5 7/8", 4 9/16"
Exterior Color / Finish: Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Frame Selection: Wood Trim Cover, Factory Applied, Jamb Covers Included
Hardware Options: Vent Lock, Black, Keylock Included, Plazo, Handle Included, Handle Included, Satin Nickel, Satin Nickel, Shipped Separate, Accessory Managed, Random, Chrome, No Integrated Sensor
Screen: Sliding Screen, Iron Ore, Black, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.30, SHGC 0.28, VLT 0.51, CPD PEL-N-304-00155-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL47325, STC 28, OITC 24
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6-9/16", Factory Supplied, Shipped Separately, Manufacturer Recommended Clearance, Perimeter Length = 382".

Rough Opening: 96" X 96"

21DRINST0200 - C - 2 Panel Door per LF - NCI - Whole House	Qty	32
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	32

Line #	Location:	Attributes
120	Kitchen Sink	



Viewed From Exterior

PK #
2243

Pella Reserve, Contemporary 2-Wide Casement, 58 X 53, Iron Ore

Item Price	Qty	Ext'd Price
$2,578.21	1	$2,578.21

1: 2953 Left Casement
Frame Size: 29 X 53
General Information: Crank Out, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Saldo Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-11-24315-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31311, STC 26, OITC 23, Clear Opening Width 20, Clear Opening Height 48.875, Clear Opening Area 6.788195, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: ILT, No Custom Grille, 7/8", Traditional (2W3H), Square, Square
2: 2953 Right Casement
Frame Size: 29 X 53
General Information: Crank Out, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Saldo Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-11-24315-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31311, STC 26, OITC 23, Clear Opening Width 20, Clear Opening Height 48.875, Clear Opening Area 6.788195, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: ILT, No Custom Grille, 7/8", Traditional (2W3H), Square, Square
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 222".

Rough Opening: 58 - 3/4" X 53 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	19
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	19

Line #	Location:	Attributes

125 Hidden Pantry

Viewed From Exterior

PK # 2243

Pella Reserve, Contemporary Sash Set, Fixed, 29 X 53, Iron Ore

Item Price	Qty	Ext'd Price
$826.07	1	$826.07

1: 2953 Fixed Sash Set
Frame Size: 29 X 53
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.30, VLT 0.57, CPD PEL-N-1-59311-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: No Grille,
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 164".

Rough Opening: 29 - 3/4" X 53 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	14
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	14

Line #	Location:	Attributes

130 Hidden P. Door



Viewed From Exterior

PK # 2243

Pella Reserve, Contemporary Inswing Door, Contemporary,, Right, 37.875 X 95.5, Iron Ore

Item Price	Qty	Ext'd Price
$3,680.40	1	$3,680.40

1: 3896 Right Inswing Door
Frame Size: 37 7/8 X 95 1/2
General Information: Standard, Clad, Pine, 7 7/8", 6 9/16", Standard Sill, Black Finish Sill, Black Composite Threshold
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Spiere, Satin Nickel, Order Handle Set, Shipped Separate, Accessory Managed, Multipoint Lock, No Integrated Sensor
Screen: No Screen
Performance Information: U-Factor 0.28, SHGC 0.18, VLT 0.33, CPD PEL-N-218-08119-00001, Performance Class LC, PG 55, Calculated Positive DP Rating 55, Calculated Negative DP Rating 70, FPA FL14293, STC 31, OITC 25
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 267".

Rough Opening: 38 - 5/8" X 96"

21DRINST0100 - B - 1 Panel Door Per LF - NCI - Whole House	Qty	23
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	23

Line #	Location:	Attributes
135	Planning Room	



Viewed From Exterior

PK #
2243

Pella Reserve, Contemporary 2-Wide Casement, 58 X 53, Iron Ore

Item Price	Qty	Ext'd Price
$2,083.78	1	$2,083.78

1: 2953 Left Casement
Frame Size: 29 X 53
General Information: Crank Out, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Saldo Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-11-24313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31311, STC 26, OITC 23, Clear Opening Width 20, Clear Opening Height 48.875, Clear Opening Area 6.788195, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
2: 2953 Right Casement
Frame Size: 29 X 53
General Information: Crank Out, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Saldo Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-11-24313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31311, STC 26, OITC 23, Clear Opening Width 20, Clear Opening Height 48.875, Clear Opening Area 6.788195, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 222".

Rough Opening: 58 - 3/4" X 53 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	19
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	19

Line #	Location:	Attributes
140	Garage Left	



Viewed From Exterior

PK #
2243

Pella Reserve, Contemporary 2-Wide Sash Set, 58 X 59, Iron Ore

Item Price	Qty	Ext'd Price
$1,728.07	1	$1,728.07

1: 2959 Fixed Sash Set
Frame Size: 29 X 59
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.30, VLT 0.57, CPD PEL-N-1-59311-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL31312
Grille: No Grille,
2: 2959 Fixed Sash Set
Frame Size: 29 X 59
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.30, VLT 0.57, CPD PEL-N-1-59311-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL31312
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 234".

Rough Opening: 58 - 3/4" X 59 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	20
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	20

Line #	Location:	Attributes
145	Bed 2	



Viewed From Exterior

PK #
2243

Pella Reserve, Contemporary 2-Wide Casement, 64 X 71, Iron Ore

Item Price	Qty	Ext'd Price
$3,522.72	1	$3,522.72

1: 3271 Left Casement
Frame Size: 32 X 71
General Information: Crank Out, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Saldo Fold-Away Crank, Champagne, WOCD (ASTM F2090), No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-11-24315-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31311, STC 26, OITC 23, Clear Opening Width 22.25, Clear Opening Height 66.875, Clear Opening Area 10.33312, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
2: 3271 Right Casement
Frame Size: 32 X 71
General Information: Crank Out, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Saldo Fold-Away Crank, Champagne, WOCD (ASTM F2090), No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-11-24315-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31311, STC 26, OITC 23, Clear Opening Width 22.25, Clear Opening Height 66.875, Clear Opening Area 10.33312, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 270".

Rough Opening: 64 - 3/4" X 71 - 3/4"

Customer Notes: QUOTED WITH W.O.C.D. FOR FALL PROTECTION

QUOTED OPERABLE CM DUE TO EGRESS

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	23
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	23

Line #	Location:	Attributes
150	Sitting Room	



Viewed From Exterior

PK #
2243

Pella Reserve, Contemporary 2-Wide Sash Set, 50 X 71, Iron Ore

Item Price	Qty	Ext'd Price
$2,488.36	1	$2,488.36

1: 2571 Fixed Sash Set
Frame Size: 25 X 71
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
2: 2571 Fixed Sash Set
Frame Size: 25 X 71
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.51, CPD PEL-N-1-59313-00001, Performance Class CW, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL31312
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 242".

Rough Opening: 50 - 3/4" X 71 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	21
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	21

Line #	Location:	Attributes
155	Bed 3	



Viewed From Exterior

PK #
2243

Pella Reserve, Contemporary 2-Wide Casement, 64 X 71, Iron Ore

Item Price	Qty	Ext'd Price
$3,522.72	1	$3,522.72

1: 3271 Left Casement
Frame Size: 32 X 71
General Information: Crank Out, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Saldo Fold-Away Crank, Champagne, WOCD (ASTM F2090), No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-11-24315-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31311, STC 26, OITC 23, Clear Opening Width 22.25, Clear Opening Height 66.875, Clear Opening Area 10.33312, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
2: 3271 Right Casement
Frame Size: 32 X 71
General Information: Crank Out, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Saldo Fold-Away Crank, Champagne, WOCD (ASTM F2090), No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-11-24315-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31311, STC 26, OITC 23, Clear Opening Width 22.25, Clear Opening Height 66.875, Clear Opening Area 10.33312, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: ILT, No Custom Grille, 7/8", Traditional (2W4H), Square, Square
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 270".

Rough Opening: 64 - 3/4" X 71 - 3/4"

Customer Notes: QUOTED WITH W.O.C.D. FOR FALL PROTECTION

QUOTED OPERABLE CM DUE TO EGRESS

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	23
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	23

Line #	Location:	Attributes
160	Bed 4	



Viewed From Exterior

PK #
2243

Pella Reserve, Contemporary 2-Wide Sash Set, 58 X 53, Iron Ore

Item Price	Qty	Ext'd Price
$1,627.70	1	$1,627.70

1: 2953 Fixed Sash Set
Frame Size: 29 X 53
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.30, VLT 0.57, CPD PEL-N-1-59311-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: No Grille,
2: 2953 Fixed Sash Set
Frame Size: 29 X 53
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.30, VLT 0.57, CPD PEL-N-1-59311-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Head Drip Cap, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 222".

Rough Opening: 58 - 3/4" X 53 - 3/4"

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	19
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	19

Line #	Location:	Attributes
165	Bed 4	



Viewed From Exterior

Pella Reserve, Contemporary Casement Right, 29 X 41, Iron Ore

Item Price	Qty	Ext'd Price
$896.25	1	$896.25

PK #
2243

1: 2941 Right Casement
Frame Size: 29 X 41
General Information: Crank Out, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Interior Color / Finish: Unfinished Interior
Sash / Panel: Square, Square, Standard, 1.46, 1.46, 1.46
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Side Pivot Hardware, Saldo Fold-Away Crank, Champagne, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor, Shipped Separate, Accessory Managed
Screen: Full Screen, Champagne, InView™ , Shipped Separate, Accessory Managed
Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-11-24313-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31311, STC 26, OITC 23, Clear Opening Width 24.625, Clear Opening Height 36.875, Clear Opening Area 6.305881, Egress With optional side pivot hardware, meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,
Wrapping Information: Steady Set - Interior Install, Factory Applied, No Exterior Trim, 6-9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, 2x6 Bracket, Manufacturer Recommended Clearance, Perimeter Length = 140".

Rough Opening: 29 - 3/4" X 41 - 3/4"

Customer Notes: QUOTED WITH SIDE PIVOT HARDWARE FOR EGRESS

21DRINST0050 - A - Window Install Per LF - NCI - Whole House	Qty	12
21DRINST1000 - F - ADDER - Zip Tape Install Per LF - NCI	Qty	12

Line #	Location:	Attributes
170	Head Drip Flashing	

Head Drip Flashing, Length: 192, Iron Ore

Item Price	Qty	Ext'd Price
$83.25	12	$999.00

PK #
2243

1: Accessory
Frame Size: -1 X -1
General Information: Head Drip Flashing
Exterior Color / Finish: Painted, Standard Enduraclad, Iron Ore
Wrapping Information: Perimeter Length = 0".

Viewed From Exterior

Line #	Location:	Attributes
175	Keyed Alike	

058F0001 - Pella Hinged Door SmartKey, Key Lock, Nickel Faced

Item Price	Qty	Ext'd Price
$25.39	4	$101.56

Viewed From Exterior

PK #
2243

1: Pella Parts Catalog - Templates Search
Pella Parts Selector: Part Number, 058F0001, Hinged Door SmartKey, Key Lock, Nickel Faced, 058F0001,

Line #	Location:	Attributes
180	Lift Rental	

21NCI0200 - Lift Charge Per Day

Item Price	Qty	Ext'd Price
$1,050.00	1	$1,050.00

Line #	Location:	Attributes
185	Shop Drawings	

SHOPDRAWINGS - Shop Drawings

Item Price	Qty	Ext'd Price
$1,390.00	1	$1,390.00

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
190	Install Package	**21NCI0300 - Install Package**	$6,250.00	1	$6,250.00

Thank You For Purchasing Pella® Products

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link https://www.pella.com/california-rights-policy/ at pella.com.

ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

YOU and Pella and its subsidiaries and the Pella Branded Distributor **AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS.** You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

Product Performance Information:
U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC). Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization. The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary based on environmental conditions, installation, and other construction practices and change over the product's life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to www.pella.com/performance.

Including during the construction period, casement windows should never be left open and unlocked for prolonged periods or during high wind conditions to avoid sash detachment/damage.

Actual sizes tested for documented STC and OITC ratings may vary from the ASTM E 1425 sizes to better represent Pella Product Offering. STC and OITC ratings shown may be conservatively based on products tested with thinner panes of glass. STC and OITC ratings may be from test results from an equivalent product.

New Construction :

PAYMENT TERMS:

WARRANTY: Pella® products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details. Neither Pella Corporation nor Pella Products of Omaha and Lincoln will be bound by any other warranty. Please be aware that product which is not fully paid for is not covered by the warranty.

RETURN FEES: A 50% Fee will be charged for all items cancelled by the customer after the Last Revision Date. Your sales representative can provide you with information related to Last Revision Dates.
Initials:_____

DAMAGED PRODUCT: Product delivered to jobsite that is received damaged, must be reported to our Trade Project Coordinator Dept within 10 calendar days of date of delivery. Damaged product reported after 10 calendar days of delivery will be considered jobsite damage and will be billable by our company.

MISSING PRODUCT: Product delivered by our company and found to be missing from the jobsite must be reported to our Trade Project Coordinator Dept within 5 calendar days of the delivery date, or the product will be considered stolen or disposed of at the jobsite and replacement product will be billable by our company.

Remodeling or Replacement :

PAYMENT TERMS:

Orders placed by homeowners require a 50% down payment in advance of the order being placed. For remodeling or replacement jobs installed by our company, the customer can withhold a maximum of 5% of the contract price until the job is completed to the customer's satisfaction should any issues arise during completion of the work. Service parts ordered by our company which are not covered by the Pella warranty (see WARRANTY paragraph) must be paid for in full prior to scheduling or commencement of any service work by our company.

WARRANTY: Pella® products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details. Neither Pella Corporation nor Pella Products of Omaha and Lincoln will be bound by any other warranty. Please be aware that product which is not fully paid for is not covered by the warranty.

RETURN FEES: A 50% Fee will be charged for all items cancelled by the customer after the Last Revision Date. Your salesrep can provide you with information related to Last Revision Dates.
Initials:_____

PREFINISHING: For remodeling or replacement orders placed by homeowners, Pella Products of Omaha and Lincoln offers painting & staining applications prior to installation of our products. The stain color sample is only a general representation of the final product. Variations in different batches of stain along with natural differences in absorption rates, grain color, and characteristics of veneers and solid woods can and do affect the final wood color. Such variations will be considered normal and not cause for replacement. We will not accept returns based upon stains not matching samples, and will not issue monetary credit for any variation in final stain color from the sample.

Stain Color _____
Initials:_____

WINDOW TREATMENTS: Your new windows are custom made for your opening. Pella manufactures it's product to be of the highest quality in order that your new windows will be more energy efficient. Every Manufacturers frame is unique in profile and fit. It is possible that your existing interior mounted blinds or shades will no longer fit inside our frames. It is also possible that your existing shutters may not fit on your new energy efficient windows. Pella will not be responsible for these items and will not issue monetary credit or pay for any replacement blind or shades necessitated by the replacement of your windows.
Initials:_____

SECURITY SYSTEMS: During installation of Buyer's new windows and/or doors, security system wires and/or hardware may be damaged. Buyer is responsible for the coordination of their security system being disconnected prior to installation and reconnected after installation with a third party. Buyer acknowledges that Pella will not be responsible for these items and will not issue monetary credit or pay for any replacement of security hardware necessitated by the replacement of Buyer's windows.
Initials:_____

INSTALLATION IN EIFS/STUCCO: During installation of Buyer's new windows and/or doors in homes with EIFS or Stucco, Pella Windows and Doors will cut back the EIFS or Stucco to install

Buyer's new windows and/or doors. Buyer is responsible for the coordination of EIFS or Stucco work after installation of windows and/or doors through a 3rd party. Buyer is also responsible for coordinating the caulking of windows after completion of EIFS or Stucco work through a 3rd party. Buyer acknowledges that Pella will not be responsible for these items and will not issue monetary credit or pay for any EIFS work, Stucco work, or caulking associated with these types of installs necessitated by the replacement of Buyer's windows.
Initials:_____

RIGHT TO RENOVATE: If your home was built prior to 1978, a lead test must be performed by the contractor prior to Pella performing any installation services.

BUILDING PERMITS: It is the responsibility of the contractor to pull any and all permits necessary prior to Pella performing any installation services.

DAMAGED PRODUCT: Product delivered to jobsite that is received damaged, must be reported to our Trade Project Coordinator Dept within 10 calendar days of date of delivery. Damaged product reported after 10 calendar days of delivery will be considered jobsite damage and will be billable by our company.

MISSING PRODUCT: Product delivered by our company and found to be missing from the jobsite must be reported to our Trade Project Coordinator Dept within 5 calendar days of the delivery date, or the product will be considered stolen or disposed of at the jobsite and replacement product will be billable by our company.

Invoices will be submitted to the customer upon installation with the deposit applied first, with invoices for installations due in 30 days or when the project is substantially complete. Substantial completion is defined at the point when work is nearly complete, and the building can be occupied and used as intended. For remodeling or replacement jobs installed by our company, the customer can withhold to a maximum of 5% of the contract price until the job is completed to the customer's satisfaction should any issues arise during completion of the work. Service parts ordered by our company which are not covered by the Pella warranty (see WARRANTY paragraph) must be paid for in full prior to scheduling or commencement of any service work by our company.

Initials:

Each multi-panel and multi-slide system needs an approved design analysis and Pella Corporation stamped shop drawings signed off on prior to ordering. Since the products do not have an air and water performance rating, both overhangs and water managing patios or sloping are required. All multi-slide systems must have a minimum overhang of 50% of the height of the door for weather protection. All labor, product, and factory warranties will be voided without the minimum overhang requirements. Pella Windows & Doors of Omaha & Lincoln recommends a level rough opening for optimal performance. If the opening isn't level or doesn't include a slope away from the system, warranty exclusions will be applied.

Initials: _____

☐ **Project Checklist has been reviewed**

Customer Name (Please print)

Pella Sales Rep Name (Please print)

Customer Signature

Pella Sales Rep Signature

Date

Date

Credit Card Approval Signature

Order Totals	
Taxable Subtotal	$98,472.89
Sales Tax @ 0%	$0.00
Non-taxable Subtotal	$15,006.05
Total	$113,478.94
Deposit Received	$0.00
Amount Due	**$113,478.94**