



THE WINDOW AND DOOR STORE

1324 PIERCE ST

OMAHA

NE 68103

Phone: 402-333-4321

Fax: 402-333-4232

Customer
Quote

Short Form

QUOTE EXPIRES

N/A

QUOTE DATE

Quote Not Ordered

BID BY

PRICE BOOK

Price Book 2023

CREATED

1/10/2025

randy@
marvinwindowstore.
com

PK # 318

Customer Information:

Phone:

Fax:


Delivery Information:

Phone:

Fax:

QUOTE #	STATUS	CUSTOMER PO#	DATE PRINTED
2901304	None		1/10/2025 15:09 PM
CUSTOMER JOB NAME	TERMS	QUOTE NAME	PROJECT NAME
		Schachne Residence	McNeil Company

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
100	Fitness/BedRm4	60 3/4" X 60 1/2"	60" X 60"	\$1,326.00	1	\$1,326.00




* Units viewed from exterior.

(A1) DCS 2656 - (A2) DCS 2656 - Standard Mulls

(A1)-Pinnacle Clad Iron Casement 2656 Complete Unit EL LoE 366 IG 6-9/16 Jamb Ext (Room ID: Fitness/BedRm4)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style)(Champagne Hardware)(Egress Hardware)(No Brickmould)(Flexible Nail Fin) (Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(LC-PG40-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 60)

(A2)-Pinnacle Clad Iron Casement 2656 Complete Unit ER LoE 366 IG 6-9/16 Jamb Ext (Room ID: Fitness/BedRm4)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style)(Champagne Hardware)(Egress Hardware)(No Brickmould)(Flexible Nail Fin) (Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(LC-PG40-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 60)

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
200	BedRm3	60 3/4" X 60 1/2"	60" X 60"	\$1,326.00	1	\$1,326.00




* Units viewed from exterior.

(A1) DCS 2656 - (A2) DCS 2656 - Standard Mulls

(A1)-Pinnacle Clad Iron Casement 2656 Complete Unit EL LoE 366 IG 6-9/16 Jamb Ext (Room ID: BedRm3)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style)(Champagne Hardware)(Egress Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(LC-PG40-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 60)

(A2)-Pinnacle Clad Iron Casement 2656 Complete Unit ER LoE 366 IG 6-9/16 Jamb Ext (Room ID: BedRm3)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style)(Champagne Hardware)(Egress Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(LC-PG40-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 60)

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
300	FamilyRm	60 3/4" X 60 1/2"	60" X 60"	\$1,326.00	1	\$1,326.00




* Units viewed from exterior.

(A1) DCS 2656 - (A2) DCS 2656 - Standard Mulls

(A1)-Pinnacle Clad Iron Casement 2656 Complete Unit EL LoE 366 IG 6-9/16 Jamb Ext (Room ID: FamilyRm)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style)(Champagne Hardware)(Egress Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(LC-PG40-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 60)

(A2)-Pinnacle Clad Iron Casement 2656 Complete Unit ER LoE 366 IG 6-9/16 Jamb Ext (Room ID: FamilyRm)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style)(Champagne Hardware)(Egress Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(LC-PG40-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 60)

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
400	MasterBedRm	72 3/4" X 72 1/2"	72" X 72"	\$1,602.00	1	\$1,602.00




* Units viewed from exterior.

(A1) DCS 3268 - (A2) DCS 3268 - Standard Mulls

(A1)-Pinnacle Clad Iron Casement 3268 Complete Unit LH LoE 366 IG 6-9/16 Jamb Ext (Room ID: MasterBedRm)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmnt-Awn Handle Style)(Champagne Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG30-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 58)

(A2)-Pinnacle Clad Iron Casement 3268 Complete Unit RH LoE 366 IG 6-9/16 Jamb Ext (Room ID: MasterBedRm)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmnt-Awn Handle Style)(Champagne Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG30-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 58)


Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
500	MasterBedRm	30 3/4" X 60 1/2"	30" X 60"	\$672.00	1	\$672.00



* Units viewed from exterior.

Pinnacle Clad Iron Casement 2656-1 Complete Unit EL LoE 366 IG 6-9/16 Jamb Ext (Room ID: MasterBedRm)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmnt-Awn Handle Style)(Champagne Hardware)(Egress Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(LC-PG40-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 60)

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
600	MasterBedRm	30 3/4" X 60 1/2"	30" X 60"	\$672.00	1	\$672.00



* Units viewed from exterior.

Pinnacle Clad Iron Casement 2656-1 Complete Unit ER LoE 366 IG 6-9/16 Jamb Ext (Room ID: MasterBedRm)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmnt-Awn Handle Style)(Champagne Hardware)(Egress Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(LC-PG40-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 60)

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
700	GreatRm	132 3/4" X 84 1/2"	132" X 84"	\$3,810.75	1	\$3,810.75



* Units viewed from exterior.

(A1) DAW 3220 - (A2) DAW 5620 - (A3) DAW 3220 - (B1) DCS 3256 - (B2) DCS 5656 - (B3) DCS 3256 - Standard Mulls

(A1)-Pinnacle Clad Iron Awning 3220 Complete Unit V LoE 366 IG 6-9/16 Jamb Ext (Room ID: GreatRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csm-Awn Handle Style) (Champagne Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen) (Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(CW-PG40-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 57)

(A2)-Pinnacle Clad Iron Awning 5620 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: GreatRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin) (Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

(A3)-Pinnacle Clad Iron Awning 3220 Complete Unit V LoE 366 IG 6-9/16 Jamb Ext (Room ID: GreatRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csm-Awn Handle Style) (Champagne Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen) (Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(CW-PG40-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 57)

(B1)-Pinnacle Clad Iron Casement 3256 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: GreatRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

(B2)-Pinnacle Clad Iron Casement 5656 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: GreatRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.28)(SHGC: 0.23)(VT: 0.52)(CR: 55)

(B3)-Pinnacle Clad Iron Casement 3256 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: GreatRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
800	DiningRm	108 3/4" X 84 1/2"	108" X 84"	\$3,432.75	1	\$3,432.75



* Units viewed from exterior.

(A1) DAW 2620 - (A2) DAW 4420 - (A3) DAW 2620 - (B1) DCS 2656 - (B2) DCS 4456 - (B3) DCS 2656 - Standard Mulls

(A1)-Pinnacle Clad Iron Awning 2620 Complete Unit V LoE 366 IG 6-9/16 Jamb Ext (Room ID: DiningRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style) (Champagne Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen) (Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(CW-PG40-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 57)

(A2)-Pinnacle Clad Iron Awning 4420 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: DiningRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin) (Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

(A3)-Pinnacle Clad Iron Awning 2620 Complete Unit V LoE 366 IG 6-9/16 Jamb Ext (Room ID: DiningRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style) (Champagne Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen) (Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(CW-PG40-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 57)

(B1)-Pinnacle Clad Iron Casement 2656 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: DiningRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

(B2)-Pinnacle Clad Iron Casement 4456 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: DiningRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.52)(CR: 58)

(B3)-Pinnacle Clad Iron Casement 2656 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: DiningRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
900	DiningRm	108 3/4" X 84 1/2"	108" X 84"	\$3,432.75	1	\$3,432.75



* Units viewed from exterior.

(A1) DAW 2620 - (A2) DAW 4420 - (A3) DAW 2620 - (B1) DCS 2656 - (B2) DCS 4456 - (B3) DCS 2656 - Standard Mulls

(A1)-Pinnacle Clad Iron Awning 2620 Complete Unit V LoE 366 IG 6-9/16 Jamb Ext (Room ID: DiningRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style) (Champagne Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen) (Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(CW-PG40-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 57)

(A2)-Pinnacle Clad Iron Awning 4420 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: DiningRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin) (Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)


(A3)-Pinnacle Clad Iron Awning 2620 Complete Unit V LoE 366 IG 6-9/16 Jamb Ext (Room ID: DiningRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style) (Champagne Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen) (Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(CW-PG40-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 57)

(B1)-Pinnacle Clad Iron Casement 2656 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: DiningRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

(B2)-Pinnacle Clad Iron Casement 4456 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: DiningRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.52)(CR: 58)

(B3)-Pinnacle Clad Iron Casement 2656 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: DiningRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)


Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
1000	DiningRm	95 3/4" X 108"	95" X 107.5"	\$5,019.75	1	\$5,019.75



* Units viewed from exterior.

Pinnacle Clad Iron Two Panel French Style 8090 Complete Unit XO LoE 366 IG 6-9/16 Jamb Ext (Room ID: DiningRm)(2604 Powder)(Setup (Standard))(FBC: 11571)(Glass Stop Profile: Ogee)(5 Inch Rail)(Pine Species)(Bronze Sill)(Grey Spacer)(Tempered Glass) (Preserve)(Sliding Contemporary Black Matte Standard Handle Set)(No Brickmould)(No Nail Fin)(Full Screen)(Iron Screen - Not Applied)(BetterVue)(Energy Star: No Zones Met)(R-PG25-SD) Performance Data:(U-Value: 0.32)(SHGC: 0.17)(VT: 0.38)(CR: 54)

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
1100	Kitchen	72 3/4" X 54 1/2"	72" X 54"	\$1,320.00	1	\$1,320.00



* Units viewed from exterior.

(A1) DCS 3250 - (A2) DCS 3250 - Standard Mulls

(A1)-Pinnacle Clad Iron Casement 3250 Complete Unit LH LoE 366 IG 6-9/16 Jamb Ext (Room ID: Kitchen)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style) (Champagne Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen) (Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG30-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 60)

(A2)-Pinnacle Clad Iron Casement 3250 Complete Unit RH LoE 366 IG 6-9/16 Jamb Ext (Room ID: Kitchen)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style) (Champagne Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen) (Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG30-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 60)

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
1200	3CarGarage	84 3/4" X 18 1/2"	84" X 18"	\$870.75	1	\$870.75




* Units viewed from exterior.

(A1) DAW 3814 - (A2) DAW 3814 - Standard Mulls

(A1)-Pinnacle Clad Iron Awning 3814 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: 3CarGarage)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin) (Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

(A2)-Pinnacle Clad Iron Awning 3814 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: 3CarGarage)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(Flexible Nail Fin) (Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
1300	3CarGarage	24 3/4" X 72 1/2"	24" X 72"	\$814.50	1	\$814.50




* Units viewed from exterior.


(A1) DCSP 2050 - (B1) DAW 2014 - Standard Mulls

(A1)-Pinnacle Clad Iron Casement Picture 2050 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: 3CarGarage)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)


(B1)-Pinnacle Clad Iron Awning 2014 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: 3CarGarage)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
1400	Service Entry	24 3/4" X 72 1/2"	24" X 72"	\$814.50	1	\$814.50
		(A1) DCSP 2050 - (B1) DAW 2014 - Standard Mulls (A1)-Pinnacle Clad Iron Casement Picture 2050 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Service Entry)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59) (B1)-Pinnacle Clad Iron Awning 2014 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Service Entry)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)				

* Units viewed from exterior.


Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
1500	Service Entry	24 3/4" X 72 1/2"	24" X 72"	\$931.50	1	\$931.50
		(A1) DCS 2050 - (B1) DAW 2014 - Standard Mulls (A1)-Pinnacle Clad Iron Casement 2050 Complete Unit RH LoE 366 IG 6-9/16 Jamb Ext (Room ID: Service Entry)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style)(Champagne Hardware)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG40-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 60) (B1)-Pinnacle Clad Iron Awning 2014 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Service Entry)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)				

* Units viewed from exterior.

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
1600	Service Entry	24 3/4" X 72 1/2"	24" X 72"	\$814.50	1	\$814.50
		(A1) DCSP 2050 - (B1) DAW 2014 - Standard Mulls (A1)-Pinnacle Clad Iron Casement Picture 2050 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Service Entry)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59) (B1)-Pinnacle Clad Iron Awning 2014 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Service Entry)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)				

* Units viewed from exterior.

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
1700	Foyer	42 3/4" X 18 1/2"	42" X 18"	\$420.00	1	\$420.00



Pinnacle Clad Iron Awning 3814-1 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Foyer)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

* Units viewed from exterior.


Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
1800	Foyer	24 3/4" X 18 1/2"	24" X 18"	\$325.50	1	\$325.50



Pinnacle Clad Iron Awning 2014-1 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Foyer)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

* Units viewed from exterior.

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
1900	Den	66 3/4" X 84 1/2"	66" X 84"	\$2,214.75	1	\$2,214.75



(A1) DCS 3856 - (A2) DCS 2056 - (B1) DAW 3820 - (B2) DAW 2020 - Standard Mulls

(A1)-Pinnacle Clad Iron Casement 3856 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Den)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.52)(CR: 58)


(A2)-Pinnacle Clad Iron Casement 2056 Complete Unit RH LoE 366 IG 6-9/16 Jamb Ext (Room ID: Den)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Traditional Csmt-Awn Handle Style)(Champagne Hardware)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG40-C) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 60)

(B1)-Pinnacle Clad Iron Awning 3820 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Den)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

(B2)-Pinnacle Clad Iron Awning 2020 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Den)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

* Units viewed from exterior.


Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
2000	Master Wardrobe	30 3/4" X 18 1/2"	30" X 18"	\$361.50	1	\$361.50



Pinnacle Clad Iron Awning 2614-1 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Master Wardrobe)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

* Units viewed from exterior.


Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
2100	Master Wardrobe	42 3/4" X 18 1/2"	42" X 18"	\$420.00	1	\$420.00



Pinnacle Clad Iron Awning 3814-1 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Master Wardrobe)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

* Units viewed from exterior.


Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
2200	Master Wardrobe	30 3/4" X 18 1/2"	30" X 18"	\$361.50	1	\$361.50



Pinnacle Clad Iron Awning 2614-1 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Master Wardrobe)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

* Units viewed from exterior.


Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
2300	Master Wardrobe	42 3/4" X 18 1/2"	42" X 18"	\$420.00	1	\$420.00



Pinnacle Clad Iron Awning 3814-1 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: Master Wardrobe)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee) (Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin)(Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

* Units viewed from exterior.

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
2400	MasterBathRm	60 3/4" X 60 1/2"	60" X 60"	\$1,608.00	1	\$1,608.00




* Units viewed from exterior.

(A1) DCS 2656 - (A2) DCS 2656 - Standard Mulls

(A1)-Pinnacle Clad Iron Casement 2656 Complete Unit EL LoE 366 IG 6-9/16 Jamb Ext (Room ID: MasterBathRm)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Tempered Glass) (Traditional Csmt-Awn Handle Style)(Champagne Hardware)(Egress Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in S Zone)(LC-PG40-C) Performance Data: (U-Value: 0.29)(SHGC: 0.2)(VT: 0.46)(CR: 58)

(A2)-Pinnacle Clad Iron Casement 2656 Complete Unit ER LoE 366 IG 6-9/16 Jamb Ext (Room ID: MasterBathRm)(2604 Powder)(Setup (Standard))(FBC: 11619)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(Tempered Glass) (Traditional Csmt-Awn Handle Style)(Champagne Hardware)(Egress Hardware)(No Brickmould)(Flexible Nail Fin)(Full Width Jamb)(Full Screen)(Champagne Screen - Not Applied)(BetterVue)(Energy Star: Meets in S Zone)(LC-PG40-C) Performance Data: (U-Value: 0.29)(SHGC: 0.2)(VT: 0.46)(CR: 58)

Line #	Room ID	Overall RO	Overall Frame	Price	Qty	Extended
2500	MasterBathRm	108 3/4" X 18 1/2"	108" X 18"	\$1,249.50	1	\$1,249.50



* Units viewed from exterior.

(A1) DAW 3214 - (A2) DAW 3214 - (A3) DAW 3214 - Standard Mulls

(A1)-Pinnacle Clad Iron Awning 3214 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: MasterBathRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin) (Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

(A2)-Pinnacle Clad Iron Awning 3214 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: MasterBathRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin) (Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

(A3)-Pinnacle Clad Iron Awning 3214 Complete Unit S LoE 366 IG 6-9/16 Jamb Ext (Room ID: MasterBathRm)(2604 Powder)(Setup (Standard))(FBC: 13642)(Glass Stop Profile: Ogee)(Interior Stops: Traditional)(Pine Species)(Grey Spacer)(No Brickmould)(No Nail Fin) (Full Width Jamb)(Energy Star: Meets in SC, S Zones)(CW-PG40-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

Quote Comments:

Disclaimer:

SUB-TOTAL:	\$35,566.50
LABOR:	\$0.00
FREIGHT:	\$0.00
SALES TAX:	\$1,956.16
TOTAL:	\$37,522.66

Messages:

* Units meeting Egress size conform to 2018 IRC Section R310.2 Egress requirements; Local codes may differ.
Customer is responsible to confirm units meet all applicable requirements..

Submitted By: _____ Date: _____

Accepted By: _____ Date: _____

We appreciate the opportunity to provide you with this quote!