

MCNEIL COMPANY SCHACHNCE AS ULTIMATE NARROW FRAME

Quote #: 5MDB72Z

A Proposal for Window and Door Products prepared for:

Job Site:

68108

Shipping Address:

THE WINDOW & DOOR STORE-OMAHA

1324 PIERCE ST

OMAHA, NE 68108-3123

Featuring products from:

MARVIN 



DON BURROW

THE WINDOW & DOOR STORE-OMAHA

13819 INDUSTRIAL RD

OMAHA, NE 68137-1117

Phone: (402) 333-4321

Email: don@marvinwindowstore.com

This report was generated on 6/25/2026 11:37:58 AM using the Marvin Order Management System, version 0004.15.00 (Old). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMBER OF LINES: 27

TOTAL UNIT QTY: 27

LINE	MARK UNIT	PRODUCT LINE	ITEM	QTY
1	FITNESS/BEDROOM #4	Ultimate	Marvin Assembly RO 61" X 53 5/8"	1
2	FAMILY ROOM	Ultimate	Marvin Assembly RO 101" X 53 5/8"	1
3	BEDROOM #3	Ultimate	Marvin Assembly RO 61" X 53 5/8"	1
4	MASTER WARDROBE	Ultimate	Casement Narrow Frame CN 2816 RO 29" X 15 5/8"	1
5	MASTER WARDROBE	Ultimate	Casement Narrow Frame CN 4016 RO 41" X 15 5/8"	1
6	MASTER WARDROBE	Ultimate	Casement Narrow Frame CN 2816 RO 29" X 15 5/8"	1
7	OFFICE	Ultimate	Marvin Assembly RO 29" X 82 3/4"	1
8	OFFICE	Ultimate	Marvin Assembly RO 69 3/8" X 83 1/8"	1
9	ENTRY	Ultimate	Casement Narrow Frame CN 2492 RO 25" X 91 5/8"	1
10	ABOVE ENTRY	Ultimate	Casement Narrow Frame CN 2416 RO 25" X 15 5/8"	1
11	ABOVE ENTRY DOOR	Ultimate	Casement Narrow Frame Picture RO 44" X 15 5/8"	1
12	POWDER	Ultimate	Marvin Assembly RO 21" X 68 3/4"	1
13	SERVICE ENTRY	Ultimate	Marvin Assembly RO 21" X 68 3/4"	1
14	SERVICE ENTRY	Ultimate	Marvin Assembly RO 21" X 68 3/4"	1
15	3 CAR GARAGE	Ultimate	Marvin Assembly RO 25" X 68 3/4"	1
16	3 CAR GARAGE	Ultimate	Marvin Assembly RO 25" X 68 3/4"	1
17	3 CAR GARAGE	Ultimate	Marvin Assembly RO 81" X 15 5/8"	1
18	KITCHEN	Ultimate	Marvin Assembly RO 73" X 53 5/8"	1
19	DINING	Ultimate	Sliding French Door 2 1/4 Inch G2 CN 8090 RO 97 5/8" X 110 1/2"	1
20	DINING	Ultimate	Marvin Assembly RO 105 3/4" X 83 1/8"	1
21	DINING	Ultimate	Marvin Assembly RO 57 3/8" X 83 1/8"	1
22	GREAT ROOM	Ultimate	Marvin Assembly RO 125 3/4" X 83 1/8"	1
23	MASTER BEDROOM	Ultimate	Marvin Assembly	1


24	MASTER BEDROOM	Ultimate	RO 73" X 71 5/8" Casement Narrow Frame CN 3060	1
25	MASTER BEDROOM	Ultimate	RO 31" X 59 5/8" Casement Narrow Frame CN 3060	1
26	MASTER BATH	Ultimate	RO 31" X 59 5/8" Marvin Assembly	1
27	MASTER WARDROBE	Ultimate	RO 61" X 59 5/8" Casement Narrow Frame CN 4016 RO 41" X 15 5/8"	1

OLD

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: FITNESS/BEDROOM #4			
Qty: 1				



As Viewed From The Exterior

MO 60 1/2" X 53 3/8"
FS 60" X 53 1/8"
RO 61" X 53 5/8"
Egress Information A1, A2
Width: 22 57/64" Height: 48 1/64"
Net Clear Opening: 7.63 SqFt


Ebony Clad Exterior
Bare Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
61" X 53 5/8"

Unit: A1
Ultimate Casement Narrow Frame - Left Hand
CN 3054
Rough Opening 31" X 53 5/8"
Frame Size 30" X 53 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
***Handles/Covers Ship Loose
Satin Taupe Multi - Point Lock
Aluminum Screen
Satin Taupe Surround
Bright View Mesh
***Screen/Combo Ship Loose

Unit: A2
Ultimate Casement Narrow Frame - Right Hand
CN 3054
Rough Opening 31" X 53 5/8"
Frame Size 30" X 53 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
***Handles/Covers Ship Loose
Satin Taupe Multi - Point Lock
Aluminum Screen
Satin Taupe Surround
Bright View Mesh
***Screen/Combo Ship Loose
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #2	Mark Unit: FAMILY ROOM			
Qty: 1				

MARVIN 



As Viewed From The Exterior

MO 100 1/2" X 53 3/8"

FS 100" X 53 1/8"

RO 101" X 53 5/8"

Egress Information A1, A3

Width: 22 57/64" Height: 48 1/64"

Net Clear Opening: 7.63 SqFt

Egress Information A2

No Egress Information available.

Ebony Clad Exterior
Bare Pine Interior
3W1H - Rectangle Assembly
Assembly Rough Opening
101" X 53 5/8"

Unit: A1

Ultimate Casement Narrow Frame - Left Hand

CN 3054

Rough Opening 31" X 53 5/8"

Frame Size 30" X 53 1/8"

0 Degree Frame Bevel

Ebony Clad Sash Exterior

Bare Pine Sash Interior

IG - 1 Lite

Low E2 w/Argon

Black Perimeter Bar

Square Exterior Glazing Profile

Square Interior Glazing Profile

Standard Bottom Rail

Black Weather Strip

Satin Taupe Folding Handle

***Handles/Covers Ship Loose

Satin Taupe Multi - Point Lock

Aluminum Screen

Satin Taupe Surround

Bright View Mesh

***Screen/Combo Ship Loose

Unit: A2

Ultimate Casement Narrow Frame Picture

CN 4054

Rough Opening 41" X 53 5/8"

Frame Size 40" X 53 1/8"

0 Degree Frame Bevel

Ebony Clad Sash Exterior

Bare Pine Sash Interior

IG - 3/4" - 1 Lite

Low E2 w/Argon

Black Perimeter Bar

Square Exterior Glazing Profile

Square Interior Glazing Profile

Standard Bottom Rail

Black Weather Strip

Solid Wood Covers

Unit: A3

Ultimate Casement Narrow Frame - Right Hand

CN 3054

Rough Opening 31" X 53 5/8"

Frame Size 30" X 53 1/8"

0 Degree Frame Bevel

Ebony Clad Sash Exterior

Bare Pine Sash Interior

IG - 1 Lite

Low E2 w/Argon

Black Perimeter Bar

Square Exterior Glazing Profile

Square Interior Glazing Profile

Standard Bottom Rail

Black Weather Strip

Satin Taupe Folding Handle

***Handles/Covers Ship Loose

Satin Taupe Multi - Point Lock

Aluminum Screen


Satin Taupe Surround
Bright View Mesh
***Screen/Combo Ship Loose
Standard Mull Charge
4 9/16" Jamb
Nailing Fin

***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.

***Note: Unit Availability and Price is Subject to Change

Line #3	Mark Unit: BEDROOM #3			
Qty: 1				

MARVIN 



As Viewed From The Exterior

MO 60 1/2" X 53 3/8"

FS 60" X 53 1/8"

RO 61" X 53 5/8"

Egress Information A1, A2

Width: 22 57/64" Height: 48 1/64"

Net Clear Opening: 7.63 SqFt

Ebony Clad Exterior
Bare Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
61" X 53 5/8"

Unit: A1

Ultimate Casement Narrow Frame - Left Hand
CN 3054
Rough Opening 31" X 53 5/8"
Frame Size 30" X 53 1/8"

0 Degree Frame Bevel

Ebony Clad Sash Exterior

Bare Pine Sash Interior

IG - 1 Lite

Low E2 w/Argon

Black Perimeter Bar

Square Exterior Glazing Profile

Square Interior Glazing Profile

Standard Bottom Rail

Black Weather Strip

Satin Taupe Folding Handle

***Handles/Covers Ship Loose

Satin Taupe Multi - Point Lock

Aluminum Screen

Satin Taupe Surround

Bright View Mesh

***Screen/Combo Ship Loose

Unit: A2

Ultimate Casement Narrow Frame - Right Hand
CN 3054

Rough Opening 31" X 53 5/8"

Frame Size 30" X 53 1/8"

0 Degree Frame Bevel

Ebony Clad Sash Exterior

Bare Pine Sash Interior

IG - 1 Lite

Low E2 w/Argon

Black Perimeter Bar

Square Exterior Glazing Profile

Square Interior Glazing Profile

Standard Bottom Rail

Black Weather Strip

Satin Taupe Folding Handle

***Handles/Covers Ship Loose

Satin Taupe Multi - Point Lock

Aluminum Screen

Satin Taupe Surround

Bright View Mesh

***Screen/Combo Ship Loose

Standard Mull Charge

4 9/16" Jamb

Nailing Fin

***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.

***Note: Unit Availability and Price is Subject to Change

Line #4 Qty: 1	Mark Unit: MASTER WARDROBE			
-------------------	----------------------------	--	--	--

MARVIN 



As Viewed From The Exterior

MO 28 1/2" X 15 3/8"

CN 2816

FS 28" X 15 1/8"

RO 29" X 15 5/8"

Egress Information


No Egress Information available.

Ebony Clad Exterior
Bare Pine Interior
Ultimate Casement Narrow Frame - Stationary
CN 2816
Rough Opening 29" X 15 5/8"
Frame Size 28" X 15 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
6 9/16" Jambs
Nailing Fin

***Note: Unit Availability and Price is Subject to Change

Line #5 Qty: 1	Mark Unit: MASTER WARDROBE			
-------------------	----------------------------	--	--	--

MARVIN 



As Viewed From The Exterior

MO 40 1/2" X 15 3/8"

CN 4016

FS 40" X 15 1/8"

RO 41" X 15 5/8"

Egress Information

No Egress Information available.


Ebony Clad Exterior
Bare Pine Interior
Ultimate Casement Narrow Frame - Stationary
CN 4016
Rough Opening 41" X 15 5/8"
Frame Size 40" X 15 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
6 9/16" Jambs
Nailing Fin

***Note: Unit Availability and Price is Subject to Change

Line #6 Qty: 1	Mark Unit: MASTER WARDROBE			
-------------------	----------------------------	--	--	--

MARVIN 

Ebony Clad Exterior
Bare Pine Interior
Ultimate Casement Narrow Frame - Stationary
CN 2816
Rough Opening 29" X 15 5/8"




As Viewed From The Exterior

MO 28 1/2" X 15 3/8"
CN 2816
FS 28" X 15 1/8"
RO 29" X 15 5/8"
Egress Information
No Egress Information available.

Frame Size 28" X 15 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
6 9/16" Jambs
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Line #7	Mark Unit: OFFICE			
Qty: 1				

MARVIN 



As Viewed From The Exterior

MO 28 1/2" X 82 1/2"
FS 28" X 82 1/4"
RO 29" X 82 3/4"
Egress Information A1
No Egress Information available.
Egress Information B1
Width: 20 57/64" Height: 58 1/64"
Net Clear Opening: 8.42 SqFt


Ebony Clad Exterior
Bare Pine Interior
1W2H - Rectangle Assembly
Assembly Rough Opening
29" X 82 3/4"
Unit: A1
Ultimate Casement Narrow Frame - Stationary
CN 2820
Rough Opening 29" X 19 5/8"
Frame Size 28" X 19 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: B1
Ultimate Casement Narrow Frame - Left Hand
CN 2864
Rough Opening 29" X 63 5/8"
Frame Size 28" X 63 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
***Handles/Covers Ship Loose
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
***Screen/Combo Ship Loose
Standard Mull Charge
6 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and

building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #8	Mark Unit: OFFICE			
Qty: 1				

MARVIN 



As Viewed From The Exterior

MO 68 7/8" X 82 7/8"
FS 68 3/8" X 82 5/8"
RO 69 3/8" X 83 1/8"
Egress Information A1, A2, B1
No Egress Information available.
Egress Information B2
Width: 20 57/64" Height: 58 1/64"
Net Clear Opening: 8.42 SqFt

Ebony Clad Exterior
Bare Pine Interior
2W2H - Rectangle Assembly
Assembly Rough Opening
69 3/8" X 83 1/8"

Unit: A1
Ultimate Casement Narrow Frame Picture
CN 4020
Rough Opening 41" X 19 5/8"
Frame Size 40" X 19 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: A2
Ultimate Casement Narrow Frame - Stationary
CN 2820
Rough Opening 29" X 19 5/8"
Frame Size 28" X 19 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers


Unit: B1
Ultimate Casement Narrow Frame Picture
CN 4064
Rough Opening 41" X 63 5/8"
Frame Size 40" X 63 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: B2
Ultimate Casement Narrow Frame - Right Hand
CN 2864
Rough Opening 29" X 63 5/8"

Frame Size 28" X 63 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
***Handles/Covers Ship Loose
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
***Screen/Combo Ship Loose
Horizontal Mull Reinforcement 3/8"
Vertical Mull Reinforcement 3/8"
Standard Mull Charge
6 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #9 Qty: 1	Mark Unit: ENTRY			
-------------------	------------------	--	--	--

MARVIN 



As Viewed From The Exterior


Ebony Clad Exterior
Bare Pine Interior
Ultimate Casement Narrow Frame - Stationary
CN 2492
Rough Opening 25" X 91 5/8"
Frame Size 24" X 91 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
6 9/16" Jambs
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

MO 24 1/2" X 91 3/8"
CN 2492
FS 24" X 91 1/8"
RO 25" X 91 5/8"
Egress Information
No Egress Information available.

Line #10 Qty: 1	Mark Unit: ABOVE ENTRY			
--------------------	------------------------	--	--	--

MARVIN 

Ebony Clad Exterior
Bare Pine Interior
Ultimate Casement Narrow Frame - Stationary
CN 2416




As Viewed From The Exterior

MO 24 1/2" X 15 3/8"
CN 2416
FS 24" X 15 1/8"
RO 25" X 15 5/8"
Egress Information
No Egress Information available.

Rough Opening 25" X 15 5/8"
Frame Size 24" X 15 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
6 9/16" Jambs
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Line #11	Mark Unit: ABOVE ENTRY DOOR			
Qty: 1				




As Viewed From The Exterior

MO 43 1/2" X 15 3/8"
FS 43" X 15 1/8"
RO 44" X 15 5/8"
Egress Information
No Egress Information available.

Ebony Clad Exterior
Bare Pine Interior
Ultimate Casement Narrow Frame Picture
Rough Opening 44" X Call Number 16
Rough Opening 44" X 15 5/8"
Frame Size 43" X 15 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
6 9/16" Jambs
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Line #12	Mark Unit: POWDER			
Qty: 1				



As Viewed From The Exterior

MO 20 1/2" X 68 1/2"

Ebony Clad Exterior
Bare Pine Interior
1W2H - Rectangle Assembly
Assembly Rough Opening
21" X 68 3/4"


Unit: A1
Ultimate Casement Narrow Frame - Stationary
CN 2016
Rough Opening 21" X 15 5/8"
Frame Size 20" X 15 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

FS 20" X 68 1/4"
RO 21" X 68 3/4"
Egress Information A1
No Egress Information available.
Egress Information B1
Width: 12 57/64" Height: 48 1/64"
Net Clear Opening: 4.30 SqFt

Unit: B1
Ultimate Casement Narrow Frame - Left Hand
CN 2054
Rough Opening 21" X 53 5/8"
Frame Size 20" X 53 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Aluminum Screen
Satin Taupe Surround
Bright View Mesh
Standard Mull Charge
6 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #13	Mark Unit: SERVICE ENTRY			
Qty: 1				

MARVIN 



As Viewed From The Exterior

MO 20 1/2" X 68 1/2"
FS 20" X 68 1/4"
RO 21" X 68 3/4"
Egress Information A1, B1
No Egress Information available.

Ebony Clad Exterior
Bare Pine Interior
1W2H - Rectangle Assembly
Assembly Rough Opening
21" X 68 3/4"


Unit: A1
Ultimate Casement Narrow Frame - Stationary
CN 2016
Rough Opening 21" X 15 5/8"
Frame Size 20" X 15 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: B1
Ultimate Casement Narrow Frame - Stationary
CN 2054
Rough Opening 21" X 53 5/8"
Frame Size 20" X 53 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile

Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
Standard Mull Charge
6 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #14	Mark Unit: SERVICE ENTRY			
Qty: 1				

MARVIN 




As Viewed From The Exterior

MO 20 1/2" X 68 1/2"
FS 20" X 68 1/4"
RO 21" X 68 3/4"
Egress Information A1, B1
No Egress Information available.

Ebony Clad Exterior
Bare Pine Interior
1W2H - Rectangle Assembly
Assembly Rough Opening
21" X 68 3/4"
Unit: A1
Ultimate Casement Narrow Frame - Stationary
CN 2016
Rough Opening 21" X 15 5/8"
Frame Size 20" X 15 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: B1
Ultimate Casement Narrow Frame - Stationary
CN 2054
Rough Opening 21" X 53 5/8"
Frame Size 20" X 53 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
Standard Mull Charge
6 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #15	Mark Unit: 3 CAR GARAGE			
Qty: 1				



As Viewed From The Exterior
MO 24 1/2" X 68 1/2"
FS 24" X 68 1/4"
RO 25" X 68 3/4"
Egress Information A1, B1
No Egress Information available.

Ebony Clad Exterior
Bare Pine Interior
1W2H - Rectangle Assembly
Assembly Rough Opening
25" X 68 3/4"

Unit: A1
Ultimate Casement Narrow Frame - Stationary
CN 2416
Rough Opening 25" X 15 5/8"
Frame Size 24" X 15 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: B1
Ultimate Casement Narrow Frame - Stationary
CN 2454
Rough Opening 25" X 53 5/8"
Frame Size 24" X 53 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
Standard Mull Charge
6 9/16" Jambs
Nailing Fin

***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.


***Note: Unit Availability and Price is Subject to Change

Line #16	Mark Unit: 3 CAR GARAGE			
Qty: 1				



Ebony Clad Exterior
Bare Pine Interior
1W2H - Rectangle Assembly
Assembly Rough Opening
25" X 68 3/4"

Unit: A1
Ultimate Casement Narrow Frame - Stationary
CN 2416
Rough Opening 25" X 15 5/8"
Frame Size 24" X 15 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon



As Viewed From The Exterior

MO 24 1/2" X 68 1/2"
FS 24" X 68 1/4"
RO 25" X 68 3/4"
Egress Information A1, B1
No Egress Information available.

Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: B1
Ultimate Casement Narrow Frame - Stationary
CN 2454
Rough Opening 25" X 53 5/8"
Frame Size 24" X 53 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Standard Mull Charge
6 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #17	Mark Unit: 3 CAR GARAGE			
Qty: 1				



As Viewed From The Exterior

MO 80 1/2" X 15 3/8"
FS 80" X 15 1/8"
RO 81" X 15 5/8"
Egress Information A1, A2
No Egress Information available.

Ebony Clad Exterior
Bare Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
81" X 15 5/8"

Unit: A1
Ultimate Casement Narrow Frame Picture
CN 4016
Rough Opening 41" X 15 5/8"
Frame Size 40" X 15 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: A2
Ultimate Casement Narrow Frame Picture
CN 4016
Rough Opening 41" X 15 5/8"
Frame Size 40" X 15 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar


Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
Standard Mull Charge
6 9/16" Jambs
Nailing Fin

***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.

***Note: Unit Availability and Price is Subject to Change

Line #18	Mark Unit: KITCHEN			
Qty: 1				

MARVIN 



As Viewed From The Exterior

MO 72 1/2" X 53 3/8"

FS 72" X 53 1/8"

RO 73" X 53 5/8"

Egress Information A1, A2

Width: 28 57/64" Height: 48 1/64"

Net Clear Opening: 9.63 SqFt

Ebony Clad Exterior
Bare Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
73" X 53 5/8"

Unit: A1

Ultimate Casement Narrow Frame - Left Hand
CN 3654

Rough Opening 37" X 53 5/8"

Frame Size 36" X 53 1/8"

0 Degree Frame Bevel

Ebony Clad Sash Exterior

Bare Pine Sash Interior

IG - 1 Lite

Low E2 w/Argon

Black Perimeter Bar

Square Exterior Glazing Profile

Square Interior Glazing Profile

Standard Bottom Rail

Black Weather Strip

Satin Taupe Folding Handle

***Handles/Covers Ship Loose

Satin Taupe Multi - Point Lock

Aluminum Screen

Satin Taupe Surround

Bright View Mesh

***Screen/Combo Ship Loose

Unit: A2

Ultimate Casement Narrow Frame - Right Hand

CN 3654

Rough Opening 37" X 53 5/8"

Frame Size 36" X 53 1/8"

0 Degree Frame Bevel

Ebony Clad Sash Exterior

Bare Pine Sash Interior

IG - 1 Lite

Low E2 w/Argon

Black Perimeter Bar

Square Exterior Glazing Profile

Square Interior Glazing Profile

Standard Bottom Rail

Black Weather Strip

Satin Taupe Folding Handle

***Handles/Covers Ship Loose

Satin Taupe Multi - Point Lock

Aluminum Screen

Satin Taupe Surround


Bright View Mesh

***Screen/Combo Ship Loose

Standard Mull Charge
6 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #19	Mark Unit: DINING			
Qty: 1				

MARVIN 



As Viewed From The Exterior

MO 97 1/8" X 110 1/4"
CN 8090
FS 96 5/8" X 110"
RO 97 5/8" X 110 1/2"
Egress Information
Width: 45 1/16" Height: 106 3/8"
Net Clear Opening: 33.29 SqFt


Ebony Clad Exterior
Bare Pine Interior
Ultimate Sliding French Door 2 1/4 Inch G2 6 9/16" - XO
CN 8090
Rough Opening 97 5/8" X 110 1/2"
**Operator Panels Ship Separate
Left Panel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Square Interior Glazing Profile
4 3/4" Bottom Rail
Right Panel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Square Interior Glazing Profile
4 3/4" Bottom Rail
Exterior Flush Handle(s)
Harp G2 Interior Handle(s)
2 Point Multi-Point Lock on Active Panel
Matte Black Active Exterior Handle Set on Active Panel Non-Keyed
Matte Black Active Interior Handle Set on Active Panel
Non Keyed
Exterior Ultimate Sliding Screen G2
Ebony Surround
Bright View Mesh
***Screen/Combo Ship Loose
Ebony Performance Sill
Black Weather Strip
6 9/16" Jambs
Thru Jamb Installation w/ Nailing Fin
Skid Plate Applied
***Note: The selected Interior Finish would allow Finger Joints to appear on secondary surfaces.
***Note: Unit Availability and Price is Subject to Change

Line #20	Mark Unit: DINING			
Qty: 1				

MARVIN 

Ebony Clad Exterior
Bare Pine Interior
3W2H - Rectangle Assembly
Assembly Rough Opening
105 3/4" X 83 1/8"

Unit: A1
Ultimate Casement Narrow Frame - Stationary



As Viewed From The Exterior

MO 105 1/4" X 82 7/8"

FS 104 3/4" X 82 5/8"

RO 105 3/4" X 83 1/8"

Egress Information A1, A2, A3, B1, B3

No Egress Information available.

CN 2860
Rough Opening 29" X 59 5/8"
Frame Size 28" X 59 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: A2
Ultimate Direct Glaze Narrow Frame Rectangle
Basic Frame 48" X 82 5/8"
Rough Opening 49" X 83 1/8"
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile

Unit: A3
Ultimate Casement Narrow Frame - Stationary
CN 2860
Rough Opening 29" X 59 5/8"
Frame Size 28" X 59 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers


Unit: B1
Ultimate Awning Narrow Frame - Roto Operating
CN 2824
Rough Opening 29" X 23 5/8"
Frame Size 28" X 23 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Aluminum Screen
Satin Taupe Surround
Bright View Mesh

Unit: B3
Ultimate Awning Narrow Frame - Roto Operating
CN 2824
Rough Opening 29" X 23 5/8"
Frame Size 28" X 23 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon

Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Aluminum Screen
Satin Taupe Surround
Bright View Mesh
Horizontal Mull Reinforcement 3/8"
Vertical Mull Reinforcement 3/8"
Standard Mull Charge
6 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #21	Mark Unit: DINING			
Qty: 1				

MARVIN 



As Viewed From The Exterior

MO 56 7/8" X 82 7/8"
FS 56 3/8" X 82 5/8"
RO 57 3/8" X 83 1/8"
Egress Information A1, A2, B1, B2
No Egress Information available.

Ebony Clad Exterior
Bare Pine Interior
2W2H - Rectangle Assembly
Assembly Rough Opening
57 3/8" X 83 1/8"

Unit: A1
Ultimate Casement Narrow Frame - Stationary
CN 2860
Rough Opening 29" X 59 5/8"
Frame Size 28" X 59 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: A2
Ultimate Casement Narrow Frame - Stationary
CN 2860
Rough Opening 29" X 59 5/8"
Frame Size 28" X 59 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: B1
Ultimate Awning Narrow Frame - Roto Operating
CN 2824
Rough Opening 29" X 23 5/8"


Frame Size 28" X 23 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
***Handles/Covers Ship Loose
Satin Taupe Multi - Point Lock
Aluminum Screen
Satin Taupe Surround
Bright View Mesh
***Screen/Combo Ship Loose

Unit: B2
Ultimate Awning Narrow Frame - Roto Operating
CN 2824
Rough Opening 29" X 23 5/8"
Frame Size 28" X 23 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
***Handles/Covers Ship Loose
Satin Taupe Multi - Point Lock
Aluminum Screen
Satin Taupe Surround
Bright View Mesh
***Screen/Combo Ship Loose
Horizontal Mull Reinforcement 3/8"
Vertical Mull Reinforcement 3/8"
Standard Mull Charge
6 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #22	Mark Unit: GREAT ROOM			
Qty: 1				



Ebony Clad Exterior
Bare Pine Interior
3W2H - Rectangle Assembly
Assembly Rough Opening
125 3/4" X 83 1/8"
Prep for Field Mull Assembly
Mull Kit(s) Included
Sub Assembly 1 - 1W2H
Basic Frame 32" x 82 5/8"
Unit Locations: A1,B1
Sub Assembly 2 - 2W2H
Basic Frame 92 3/8" x 82 5/8"
Unit Locations: A2,A3,B3



As Viewed From The Exterior

MO 125 1/4" X 82 7/8"

FS 124 3/4" X 82 5/8"

RO 125 3/4" X 83 1/8"

Egress Information A1, A2, A3, B1, B3

No Egress Information available.

Unit: A1

Ultimate Casement Narrow Frame - Stationary
CN 3260
Rough Opening 33" X 59 5/8"
Frame Size 32" X 59 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: A2

Ultimate Direct Glaze Narrow Frame Rectangle
Basic Frame 60" X 82 5/8"
Rough Opening 61" X 83 1/8"
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile

Unit: A3

Ultimate Casement Narrow Frame - Stationary
CN 3260
Rough Opening 33" X 59 5/8"
Frame Size 32" X 59 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: B1

Ultimate Awning Narrow Frame - Roto Operating
CN 3224
Rough Opening 33" X 23 5/8"
Frame Size 32" X 23 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Aluminum Screen
Satin Taupe Surround
Bright View Mesh


Unit: B3

Ultimate Awning Narrow Frame - Roto Operating
CN 3224
Rough Opening 33" X 23 5/8"
Frame Size 32" X 23 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior

Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Aluminum Screen
Satin Taupe Surround
Bright View Mesh
Horizontal Mull Reinforcement 3/8"
Vertical Mull Reinforcement 3/8"
Mull 1 - Prep for Vertical Mull Reinforcement 3/8" - 82 5/8" Long
Standard Mull Charge
6 9/16" Jambs
***Jamb Extension Ship Loose
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #23	Mark Unit: MASTER BEDROOM			
Qty: 1				

MARVIN 



As Viewed From The Exterior

MO 72 1/2" X 71 3/8"
FS 72" X 71 1/8"
RO 73" X 71 5/8"
Egress Information A1, A2
Width: 28 57/64" Height: 66 1/64"
Net Clear Opening: 13.24 SqFt

Ebony Clad Exterior
Bare Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
73" X 71 5/8"


Unit: A1
Ultimate Casement Narrow Frame - Left Hand
CN 3672
Rough Opening 37" X 71 5/8"
Frame Size 36" X 71 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
***Handles/Covers Ship Loose
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
***Screen/Combo Ship Loose

Unit: A2
Ultimate Casement Narrow Frame - Right Hand
CN 3672
Rough Opening 37" X 71 5/8"
Frame Size 36" X 71 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon

Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
***Handles/Covers Ship Loose
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
***Screen/Combo Ship Loose
Standard Mull Charge
6 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #24	Mark Unit: MASTER BEDROOM			
Qty: 1				

MARVIN 



As Viewed From The Exterior


MO 30 1/2" X 59 3/8"
CN 3060
FS 30" X 59 1/8"
RO 31" X 59 5/8"
Egress Information
Width: 22 57/64" Height: 54 1/64"
Net Clear Opening: 8.59 SqFt

Ebony Clad Exterior
Bare Pine Interior
Ultimate Casement Narrow Frame - Left Hand
CN 3060
Rough Opening 31" X 59 5/8"
Frame Size 30" X 59 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
***Handles/Covers Ship Loose
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
***Screen/Combo Ship Loose
6 9/16" Jambs
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Line #25	Mark Unit: MASTER BEDROOM			
Qty: 1				

MARVIN 

Ebony Clad Exterior
Bare Pine Interior
Ultimate Casement Narrow Frame - Right Hand
CN 3060
Rough Opening 31" X 59 5/8"
Frame Size 30" X 59 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon




As Viewed From The Exterior

MO 30 1/2" X 59 3/8"
CN 3060
FS 30" X 59 1/8"
RO 31" X 59 5/8"
Egress Information
Width: 22 57/64" Height: 54 1/64"
Net Clear Opening: 8.59 SqFt

- Black Perimeter Bar
- Square Exterior Glazing Profile
- Square Interior Glazing Profile
- Standard Bottom Rail
- Black Weather Strip
- Satin Taupe Folding Handle
- ***Handles/Covers Ship Loose
- Satin Taupe Multi - Point Lock
- Extruded Aluminum Screen
- Satin Taupe Surround
- Bright View Mesh
- ***Screen/Combo Ship Loose
- 6 9/16" Jambs
- Nailing Fin
- ***Note: Unit Availability and Price is Subject to Change

Line #26	Mark Unit: MASTER BATH			
Qty: 1				

MARVIN 



As Viewed From The Exterior

MO 60 1/2" X 59 3/8"
FS 60" X 59 1/8"
RO 61" X 59 5/8"
Egress Information A1, A2
Width: 22 57/64" Height: 54 1/64"
Net Clear Opening: 8.59 SqFt

- Ebony Clad Exterior
- Bare Pine Interior
- 2W1H - Rectangle Assembly
- Assembly Rough Opening
- 61" X 59 5/8"
- Unit: A1
 - Ultimate Casement Narrow Frame - Left Hand
 - CN 3060
 - Rough Opening 31" X 59 5/8"
 - Frame Size 30" X 59 1/8"
 - 0 Degree Frame Bevel
 - Ebony Clad Sash Exterior
 - Bare Pine Sash Interior
 - IG - 1 Lite
 - Tempered Low E2 w/Argon
 - Black Perimeter Bar
 - Square Exterior Glazing Profile
 - Square Interior Glazing Profile
 - Standard Bottom Rail
 - Black Weather Strip
 - Satin Taupe Folding Handle
 - ***Handles/Covers Ship Loose
 - Satin Taupe Multi - Point Lock
 - Extruded Aluminum Screen
 - Satin Taupe Surround
 - Bright View Mesh
 - ***Screen/Combo Ship Loose
- Unit: A2
 - Ultimate Casement Narrow Frame - Right Hand
 - CN 3060
 - Rough Opening 31" X 59 5/8"
 - Frame Size 30" X 59 1/8"
 - 0 Degree Frame Bevel
 - Ebony Clad Sash Exterior
 - Bare Pine Sash Interior
 - IG - 1 Lite
 - Tempered Low E2 w/Argon
 - Black Perimeter Bar

Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
***Handles/Covers Ship Loose
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
***Screen/Combo Ship Loose
Standard Mull Charge
6 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #27	Mark Unit: MASTER WARDROBE			
Qty: 1				

MARVIN 



As Viewed From The Exterior

MO 40 1/2" X 15 3/8"
CN 4016
FS 40" X 15 1/8"
RO 41" X 15 5/8"
Egress Information
No Egress Information available.

Ebony Clad Exterior
Bare Pine Interior
Ultimate Casement Narrow Frame - Stationary
CN 4016
Rough Opening 41" X 15 5/8"
Frame Size 40" X 15 1/8"
0 Degree Frame Bevel
Ebony Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
6 9/16" Jambs
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

PRODUCT AND PERFORMANCE INFORMATION

NFRC Ratings:


NFRC energy ratings may vary depending on the exact configuration of glass thickness used on the unit. NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements. NFRC values and ratings are finalized on the date of manufacture.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform rating system for the energy performance of fenestration products, including windows, doors and skylights. For additional information regarding this rating system, see www.nfrc.org.


Code (residential, building or energy) Compliance:

Determining the suitability and compliance with state, provincial, local, or other applicable building codes or standards, including energy codes, is the responsibility of the buyer, user, architect, contractor, installer, and/or other construction professional.

2021 IECC Climate Zone Map:



ENERGY STAR Version 7 Climate Zone Map:



PURCHASE APPROVAL/SIGN OFF

I have reviewed all line item quotes in detail and agree that the product specifications and pricing are accurate, and I approve the project for order. I acknowledge that additional charges, tax or Terms and Conditions may apply.

Seller: _____

Buyer: _____

OLD